

SPIN 43 AND 43 HS

Model:
SPIN 43



Stückliste Deutsch

15-02-2015

Inhalt

SPIN 43 AND 43 HS

Motor from nov. 2005	3
Motor 31.03.03 =>	5
Motor => 31.03.03 I	7
Belt drive assy 31.03.03 =>	9
Belt drive assy => 31.03.03 I	11
Chassis 31.03.03 =>	13
Chassis => 31.03.03 I	15
Electric => 31.03.03 I	17
Lever adjustment	19
HANDGRIFF	21
Frischwassertank	23
Electric 31.03.03 =>	25

Motor from nov. 2005


SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPINN02

3



Motor from nov. 2005

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPINN02

4

Pos	Artikelnr.	Me	Beschreibung
1	303000290	1	Deckel Ø280 (Blau) ?
2	303000289	1	Schutzring Ø268 (Grau) ?
5	10029	8	Schraube P5x25
6	63609	1	Motor 230V 1200W
6	63610	1	Motor 230V 1500W
7	13600	4	Zylinderschraube DIN912-M6x25-8.8
8	2772	4	Federring DIN127-A6
9	303000283	1	HOUSING - BLUE ?
10	303000282	1	Schutzring Ø436

Motor 31.03.03 =>

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN

5

I 31.03.2003 =>



Motor 31.03.03 =>
SPIN 43 AND 43 HS

15-02-2015	
ET-Liste-Nr.	SPIN
6	

Pos	Artikelnr.	Me	Beschreibung
1	303000290	1	Deckel Ø280 (Blau)
2	303000289	1	Schutzring Ø268 (Grau)
3	10029	8	Schraube P5x25
4	63609	1	Motor 230V 1200W SPIN 43
4	63610	1	Motor 230V 1500W SPIN 43 HS
5	13600	4	Zylinderschraube DIN912-M6x25-8.8
6	2772	4	Federring DIN127-A6
7	303000283	1	HOUSING - BLUE
8	303000282	1	Schutzring Ø436

Motor => 31.03.03 I

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN1

7

=> 30.03.2003 I



Motor => 31.03.03 I

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN1

8

Pos	Artikelnr.	Me	Beschreibung
1	5189	4	Linsenschraube DIN7985-M5x10-8.8
2	67057	1	Deckel Ø277 (Blau) Before NOV 2005
2	67057A	1	COVER D277 BLUE After NOV 2005
3	63606	1	Schutzhaube Before NOV 2005
3	63606A	1	Schutzkappe After NOV 2005
4	63609	1	Motor 230V 1200W SPIN 43
4	63610	1	Motor 230V 1500W SPIN 43 HS
5	13600	4	Zylinderschraube DIN912-M6x25-8.8
6	303000105	1	Blockergehäuse (Blau)
7	63608	1	Schutzring Ø420
8	10029	4	Schraube P5x25
9	3424	4	Federring DIN127-A5
10	2772	4	Federring DIN127-A6

Belt drive assy 31.03.03 =>

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN2

9

I 31.03.2003 =>



Belt drive assy 31.03.03 =>

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN2

10

Pos	Artikelnr.	Me	Beschreibung
1	303000288	1	Rohr Ø7x1,5x105 SPIN 43
2	303000287	1	COVER 66X42X21 SPIN 43 HS
3	42328	1	HEXAGON NUT M20X1.5X33
4	51374	1	Scheibe DIN125-A21
5	63623	1	Riemenspanner
6	63616	1	Zugfeder 2,8x11x46,1
7	63619	1	DISTANCE PIECE D15X25
8	34939	1	Scheibe 8,4x2
9	2803	1	Zahnscheibe DIN6797-A8,4
10	2756	1	Sechskantschraube DIN933-M8x45-8.8
11	63621	1	Keilrippenriemen
12	4818	3	Zylinderschraube DIN912-M6x20-8.8
13	63618	3	Distanzhülse Ø8x4
14	63627	1	Zentrierscheibe
15	63617	1	Dichtring Ø25x37x7,5 SPIN 43
16	63625	1	Segmentscheibe
17	13611	1	Sicherungsring 24x1,2
18	63620	1	Getriebeachse
19	63622	1	Riemenscheibe
20	101118042	2	Rollenlager 6205-2Z
21	303000096	1	DISTANCE PIECE D52X45X15
22	303000111	1	Scheibe Ø20xØ35x3

Belt drive assy => 31.03.03 I

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN3

11

=> 30.03.2003 I



Belt drive assy => 31.03.03 I

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN3

12

Pos	Artikelnr.	Me	Beschreibung
1	63624	1	Rohr Gebogen 8x1x134 SPIN 43
2	42328	1	HEXAGON NUT M20X1.5X33
3	63623	1	Riemenspanner
4	63616	1	Zugfeder 2,8x11x46,1
7	63619	1	DISTANCE PIECE D15X25
8	34939	1	Scheibe 8,4x2
9	2803	1	Zahnscheibe DIN6797-A8,4
10	2756	1	Sechskantschraube DIN933-M8x45-8.8
11	63621	1	Keilrippenriemen
12	63622	1	Riemenscheibe
13	101118042	2	Rollenlager 6205-2Z
14	303000096	1	DISTANCE PIECE D52X45X15
16	63620	1	Getriebeachse
17	13611	1	Sicherungsring 24x1,2
18	63625	1	Segmentscheibe
19	63627	1	Zentrierscheibe
20	63618	3	Distanzhülse Ø8x4
21	4818	3	Zylinderschraube DIN912-M6x20-8.8
22	63617	1	Dichtring Ø25x37x7,5 SPIN 43
25	51374	1	Scheibe DIN125-A21
26	303000111	1	Scheibe Ø20xØ35x3
27	303000112	1	Scheibe Ø20xØ32x0,7

Chassis 31.03.03 =>

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN4

13

I 31.03.2003 =>



Chassis 31.03.03 =>

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN4

14

Pos	Artikelnr.	Me	Beschreibung
1	4036	1	Blechschraube DIN7981-2,9x9,5
2	303000273	1	Anlassrelais 250V
3	46756	3	Zylinderschraube DIN912-M6x8-8.8
4	303000291	4	PLATE 232X125X41
5	303000292	3	DISTANCE RING
6	303000285	2	Radkappe Ø106 (Schwarz) 18.08.2003=>
7	11710	2	Schnellbefestiger Ø 15 18.08.2003=>
8	4109	2	Scheibe 17x2,5x28
9	303000284	2	Rad Ø160 18.08.2003=>
10	303000116	2	Scheibe Ø16x28x0,5
11	3288	1	Zylinderschraube DIN84-M4x8-8.8
12	4021	1	Fächerscheibe DIN6798-A4,3
13	3092	1	Scheibe DIN125-A4,3
14	63593	1	Abdeckscheibe Ø400
15	3376	4	Fächerscheibe DIN6798-A5,3
16	2784	4	Zylinderschraube M5 x 12 ISO 1207 zn
17	303000286	1	AXIS D15X300 18.08.2003=>
18	11249	2	Klemmkappe Ø15 =>17.08.2003
19	63612	2	Rad Ø160x50 =>17.08.2003
20	303000097	1	Achse Ø15x322 =>17.08.2003
21	16861	1	Schraube P4x20
22	3349	2	Flachkopfschraube DIN85-M5x16-8.8
23	303000123	1	Lasche 43x12x6
24	2758	1	Mutter DIN934-M8-6
25	2803	1	Zahnscheibe DIN6797-A8,4
26	303000120	1	Knickschutztülle Ø26x73
27	63596	1	Betriebskondensator 25µF/400V
28	63597	1	Kappe Kondensator Ø55
29	8819	1	Kabelband 4,5x1x350
30	63599	1	Kondensator 125µF 320V 47kOhm
31	5212	1	LTG STE.MEWA 3X1,5SYSL-JZ PER METER

Chassis => 31.03.03 I

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN5

15

I 31.03.2003 =>



Chassis => 31.03.03 I

SPIN 43 AND 43 HS

15-02-2015


ET-Liste-Nr.

SPIN5

16

Pos	Artikelnr.	Me	Beschreibung	
1	11249	1	Klemmkappe Ø15	
2	4109	2	Scheibe 17x2,5x28	
3	63612	2	Rad Ø160x50	
4	303000116	2	Scheibe Ø16x28x0,5	
5	303000097	1	Achse Ø15x322	
6	63593	1	Abdeckscheibe Ø400	
7	3376	4	Fächerscheibe DIN6798-A5,3	
8	2784	4	Zylinderschraube M5 x 12 ISO 1207 zn	
9	303000106	1	CHASSIS	
10	5436	4	Flachrundschrabe M6x 20 DIN 603 zn	
11	2772	4	Federring DIN127-A6	
12	3136	4	Mutter DIN934-M6-10	
13	63599	1	Kondensator 125µF 320V 47kOhm	
14	63597	1	Kappe Kondensator Ø55	
15	8819	2	Kabelband 4,5x1x350	
16	63596	1	Betriebskondensator 25µF/400V	
17	303000098	1	REINFORCEMENT PIECE 252X	=>29.09.2002
17	303000208	1	Platte 252x126x3	30.09.2002=>
18	8782	2	Sicherungsscheibe Ø8	
19	2803	1	Zahnscheibe DIN6797-A8,4	
20	2758	1	Mutter DIN934-M8-6	
21	16861	1	Schraube P4x20	
22	63594	1	Anlassrelais 250V/7,7A	=>29.09.2002 SPIN 43
23	63595	1	Anlassrelais 250V 7,7A	=>29.09.2002 SPIN 43 HS
24	5212	1	LTG STE.MEWA 3X1,5SYSL-JZ	PER METER
25	29903	1	Blechschrabe DIN7982-3,5x25	
26	63600	1	STRAIN RELIEF CLAMP WITH	
27	63819	1	RELAY 400V 5.5KW	=>29.09.2002 SPIN 43 HS
28	4036	1	Blechschrabe DIN7981-2,9x9,5	=>29.09.2002 SPIN 43 HS
29	303000273	1	Anlassrelais 250V	30.09.2002=>
30	4036	1	Blechschrabe DIN7981-2,9x9,5	30.09.2002=>

=> 30.03.2003 I



Electric => 31.03.03 I

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN6

18

Pos	Artikelnr.	Me	Beschreibung	
1	11249	1	Klemmkappe Ø15	
2	4109	2	Scheibe 17x2,5x28	
3	63612	2	Rad Ø160x50	
4	303000116	2	Scheibe Ø16x28x0,5	
5	303000097	1	Achse Ø15x322	
6	63593	1	Abdeckscheibe Ø400	
7	3376	4	Fächerscheibe DIN6798-A5,3	
8	2784	4	Zylinderschraube M5 x 12 ISO 1207 zn	
9	303000106	1	CHASSIS	
10	5436	4	Flachrundschrabe M6x 20 DIN 603 zn	
11	2772	4	Federring DIN127-A6	
12	3136	4	Mutter DIN934-M6-10	
13	63599	1	Kondensator 125µF 320V 47kOhm	
14	63597	1	Kappe Kondensator Ø55	
15	8819	2	Kabelband 4,5x1x350	
16	63596	1	Betriebskondensator 25µF/400V	
17	303000098	1	REINFORCEMENT PIECE 252X	=>29.09.2002
17	303000208	1	Platte 252x126x3	30.09.2002=>
18	8782	2	Sicherungsscheibe Ø8	
19	2803	1	Zahnscheibe DIN6797-A8,4	
20	2758	1	Mutter DIN934-M8-6	
21	16861	1	Schraube P4x20	
22	63594	1	Anlassrelais 250V/7,7A	=>29.09.2002 SPIN 43
23	63595	1	Anlassrelais 250V 7,7A	=>29.09.2002 SPIN 43 HS
24	5212	1	LTG STE.MEWA 3X1,5SYSL-JZ	PER METER
25	29903	1	Blechschrabe DIN7982-3,5x25	
26	63600	1	STRAIN RELIEF CLAMP WITH	
27	63819	1	RELAY 400V 5.5KW	=>29.09.2002 SPIN 43 HS
28	4036	1	Blechschrabe DIN7981-2,9x9,5	=>29.09.2002 SPIN 43 HS
29	303000273	1	Anlassrelais 250V	30.09.2002=>
30	4036	1	Blechschrabe DIN7981-2,9x9,5	30.09.2002=>

Lever adjustment


SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN7

19



Lever adjustment

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN 7

20


Pos	Artikelnr.	Me	Beschreibung
1	303000124	1	Führungsrohr Ø32x820
2	303000122	1	Zugstange Ø6x855
3	63601	1	Druckfeder 1x7,5x55
4	303000118	1	Führungsbuchse Ø31/6,3x13
5	11619	2	Mutter DIN985-M6-8
6	303000104	1	Bolzen Ø12x50
7	8782	6	Sicherungsscheibe Ø8
8	4818	2	Zylinderschraube DIN912-M6x20-8.8
9	303000107	1	Führungsstangenhalter
10	303000102	1	Bolzen Ø12x99
11	303000103	1	Bolzen Ø12x83
12	63603	1	Stell- u. Fixiermechanik
13	63602	1	Druckfeder 2x15,5x37
14	2764	1	Scheibe DIN125-A6,4

SPIN 43 AND 43 HS

ET-Liste-Nr.

SPIN8

21



HANDGRIFF

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN 43

22

Pos	Artikelnr.	Me	Beschreibung
1	63578	1	Griffschale Vorne
2	63577	1	Griffschale Hinten
3	10029	14	Schraube P5x25
4	63585	1	Konsole
5	63589	1	Tastschalter 25(10)A/250AC
6	62493	1	SOCKET SPIN 43 HS
7	11565	3	Schraube P5x18
8	63583	1	Druckfeder 0,6x5,4x27
9	63588	1	Taste 30x19x12
10	16507	1	Kugel DIN5401-8
11	63586	2	Schalthebel
12	53610	2	Stift Ø6x53
13	63590	1	Verstellgriff
14	909100074	1	Zylinderstift Ø8x40
15	303000123	1	Lasche 43x12x6
16	303000120	1	Knickschutzülle Ø26x73
17	5212	1	LTG STE.MEWA 3X1,5SYSL-JZ PER METER
18	63587	2	Tankhalter 83x56x31
19	303000119	1	Netzleitung H05VV-F 3G1,5x12,5
20	63584	1	Kabelhaken
22	31414	1	Reihenklemme 12-pol.
23	303000121	1	Abdeckung 33x28x6 SPIN 43
24	303000129	1	Netzleitung H05VV-F 3G1,5x15

Frischwassertank


SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN9

23



SPIN43DS-106-S

Frishwassertank

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr.

SPIN9

24

Pos	Artikelnr.	Me	Beschreibung
1	63237	1	Tank
2	303000414	1	Betätigungshebel 01.10.2004=>
3	303000114	1	Kappe Ø20/Ø10x20
4	303000110	1	Tank =>30.09.2004
4	303000415	1	TANK 01.10.2004=>
5	63613	1	Ventilkörperoberteile 40x40x32
6	63615	1	Druckfeder 1x12,5x36,5
7	18033	1	STRAIGHT PIN 3H6X24
8	3092	1	Scheibe DIN125-A4,3
9	303000113	1	Kappe Ø15x17
10	63614	1	Ventilkörperunterteil 45x40x40
11	16963	1	Schlauch 6x1,5 mm x 1 m PER METER
12	62417	1	Tankdeckel 40x25 01.10.2004=>

Electric 31.03.03 =>

SPIN 43 AND 43 HS


15-02-2015

ET-Liste-Nr.

SPIN10

25

I 31.03.2003 =>



Electric 31.03.03 =>

SPIN 43 AND 43 HS

15-02-2015

ET-Liste-Nr. SPIN10

26

Pos	Artikelnr.	Me	Beschreibung
1	4036	1	Blechschraube DIN7981-2,9x9,5
2	303000273	1	Anlassrelais 250V
3	46756	3	Zylinderschraube DIN912-M6x8-8.8
4	303000291	4	PLATE 232X125X41
5	303000292	3	DISTANCE RING
6	303000285	2	Radkappe Ø106 (Schwarz)
7	11710	2	Schnellbefestiger Ø 15 18.08.2003=>
8	4109	2	Scheibe 17x2,5x28
9	303000284	2	Rad Ø160 18.08.2003=>
10	303000116	2	Scheibe Ø16x28x0,5
11	3288	1	Zylinderschraube DIN84-M4x8-8.8
12	4021	1	Fächerscheibe DIN6798-A4,3
13	3092	1	Scheibe DIN125-A4,3
14	63593	1	Abdeckscheibe Ø400
15	3376	4	Fächerscheibe DIN6798-A5,3
16	2784	4	Zylinderschraube M5 x 12 ISO 1207 zn
17	303000286	1	AXIS D15X300 18.08.2003=>
18	11249	2	Klemmkappe Ø15 =>17.08.2003
19	63612	2	Rad Ø160x50 =>17.08.2003
20	303000097	1	Achse Ø15x322 =>17.08.2003
21	16861	1	Schraube P4x20
22	3349	2	Flachkopfschraube DIN85-M5x16-8.8
23	303000123	1	Lasche 43x12x6
24	2758	1	Mutter DIN934-M8-6
25	2803	1	Zahnscheibe DIN6797-A8,4
26	303000120	1	Knickschutztülle Ø26x73
27	63596	1	Betriebskondensator 25µF/400V
28	63597	1	Kappe Kondensator Ø55
29	8819	1	Kabelband 4,5x1x350
30	63599	1	Kondensator 125µF 320V 47kOhm
31	5212	1	LTG STE.MEWA 3X1,5SYSL-JZ PER METER