


# PARTS LIST




2015.04.07

# TABLE OF CONTENTS

---


|                                                 |    |
|-------------------------------------------------|----|
| GENERAL VIEW .....                              | 1  |
| CHASSIS SYSTEM .....                            | 3  |
| CONTROL SYSTEM .....                            | 7  |
| DECAL SYSTEM .....                              | 11 |
| ELECTRICAL SYSTEM .....                         | 13 |
| RECOVERY SYSTEM .....                           | 17 |
| SCRUB SYSTEM-71 CYLINDRICAL .....               | 21 |
| SCRUB SYSTEM-71 DISK .....                      | 25 |
| SCRUB SYSTEM-86 DISK .....                      | 29 |
| SCRUB SYSTEM-100 DISK .....                     | 33 |
| SCRUB SYSTEM-CYLINDRICAL SKIRT ASSEMBLIES ..... | 37 |
| SCRUB SYSTEM-71-86 DISK SKIRT ASSEMBLIES .....  | 39 |
| SCRUB SYSTEM-100 DISK SKIRT ASSEMBLIES .....    | 41 |
| SOLUTION SYSTEM .....                           | 43 |
| SQUEEGEE MOUNT SYSTEM .....                     | 45 |
| SQUEEGEE ASSY-71 .....                          | 49 |
| SQUEEGEE ASSY-86 .....                          | 51 |
| SQUEEGEE ASSY-100 .....                         | 53 |
| LADDER DIAGRAM-1 .....                          | 55 |
| LADDER DIAGRAM-2 .....                          | 57 |
| Ladder Diagram-1 After June 2014 .....          | 59 |
| Ladder Diagram-1 After June 2014 .....          | 61 |
| OPTIONAL KITS AND ACCESSORIES .....             | 63 |
| BRUSH SELECTOR GUIDE-DISK .....                 | 67 |
| CYLINDRICAL BRUSH GUIDE-CYLINDRICAL .....       | 69 |
| SQUEEGEE BLADE SELECTOR GUIDE .....             | 71 |
| KIT-EU ON BOARD CHARGER - 56114260 .....        | 73 |
| DETERGENT INJECTION KIT - 56114088 .....        | 75 |
| VACUUM SOUND REDUCTION KIT - 56114246 .....     | 77 |
| WARNING BEACON KIT - 56114253 .....             | 79 |
| DUAL VAC MOTOR KIT - 56114245 .....             | 81 |
| 56112245 - Onboard Charger Kit-EU .....         | 83 |
| USER INTERFACE PANEL KIT - 56114299 .....       | 85 |
| RECOMMENDED SPARE PARTS .....                   | 87 |



| Pos. | Artikel-Nr. | Menge | Variante                                  | Notes |
|------|-------------|-------|-------------------------------------------|-------|
| 1    |             | 1     | CHASSIS SYSTEM                            | [1]   |
| 2    |             | 1     | CONTROL SYSTEM                            | [2]   |
| 3    |             | 1     | ELECTRICAL SYSTEM                         | [3]   |
| 4    |             | 1     | RECOVERY SYSTEM                           | [4]   |
| 5    |             | 1     | SCRUB SYSTEM-71 CYLINDRICAL               | [5]   |
| 6    |             | 1     | SCRUB SYSTEM-71 DISK                      | [6]   |
| 7    |             | 1     | SCRUB SYSTEM-86 DISK                      | [7]   |
| 8    |             | 1     | SCRUB SYSTEM-100 DISK                     | [8]   |
| 9    |             | 1     | SCRUB SYSTEM-CYLINDRICAL SKIRT ASSEMBLIES | [9]   |
| 10   |             | 1     | SCRUB SYSTEM-71-86 DISK SKIRT ASSEMBLIES  | [10]  |
| 11   |             | 1     | SCRUB SYSTEM-100 DISK SKIRT ASSEMBLIES    | [11]  |
| 12   |             | 1     | SOLUTION SYSTEM                           | [12]  |
| 13   |             | 1     | SQUEEGEE MOUNT SYSTEM                     | [13]  |
| 14   |             | 1     | SQUEEGEE ASSY-86                          | [14]  |
| 14   |             | 1     | SQUEEGEE ASSY-71                          | [15]  |
| 14   |             | 1     | SQUEEGEE ASSY-100                         | [16]  |

## Part Notes:

- [1] - CHASSIS SYSTEMCHASSIS SYSTEM
- [2] - CONTROL SYSTEMCONTROL SYSTEM
- [3] - ELECTRICAL SYSTEMELECTRICAL SYSTEM
- [4] - RECOVERY SYSTEMRECOVERY SYSTEM
- [5] - SCRUB SYSTEM-71 CYLINDRICALSCRUB SYSTEM-71 CYLINDRICAL
- [6] - SCRUB SYSTEM-71 DISKSCRUB SYSTEM-71 DISK
- [7] - SCRUB SYSTEM-86 DISKSCRUB SYSTEM-86 DISK
- [8] - SCRUB SYSTEM-100 DISKSCRUB SYSTEM-100 DISK
- [9] - SCRUB SYSTEM-CYLINDRICAL SKIRT ASSEMBLISSCRUB SYSTEM-CYLINDRICAL SKIRT ASSEMBLIES
- [10] - SCRUB SYSTEM-71-86 DISK SKIRT ASSEMBLISSCRUB SYSTEM-71-86 DISK SKIRT ASSEMBLIES
- [11] - SCRUB SYSTEM-100 DISK SKIRT ASSEMBLISSCRUB SYSTEM-100 DISK SKIRT ASSEMBLIES
- [12] - SOLUTION SYSTEMSOLUTION SYSTEM
- [13] - SQUEEGEE MOUNT SYSTEMSQUEEGEE MOUNT SYSTEM
- [14] - SQUEEGEE ASSY-86SQUEEGEE ASSY-86
- [15] - SQUEEGEE ASSY-71SQUEEGEE ASSY-71
- [16] - SQUEEGEE ASSY-100SCRUB SYSTEM-100 DISK SKIRT ASSEMBLIES



## Resource notes:

NOTE 1: Puller Kit 56422174 is required in order to replace the tire only. K1 includes. pos. 2,3,4,9,10,19,26,29 K2 includes. pos. 7,28 K3 includes. pos. 11,12 K4 includes. pos. 1,5,13,14,31,32,33 K5 includes. pos. 16,17,18,22 K6 includes. pos. 6,16,17,18,20,22

| Pos. | Artikel-Nr. | Menge | Variante                          | Notes |
|------|-------------|-------|-----------------------------------|-------|
| 1    |             | 1     | Part of K1, SCR-HEX 5/16-18 X .88 | [1]   |
| 2    |             | 1     | SCR, SOC HD 5/16-18 X 1.00        | [2]   |
| 3    |             | 1     | NUT, HEX NYL LOC-THIN             | [3]   |
| 4    |             | 1     | Scr Pan Phil SS M4-.07 x 40mm     | [4]   |
| 5    |             | 1     | SCR, HEX THD TO HD 5/16-18 X 3.50 | [5]   |
| 6    |             | 4     | SCR, HEX HD LOC                   | [6]   |
| 7    |             | 1     | NUT, HEX NYL LOC-THIN 1-14        | [7]   |
| 8    | 56003442    | 2     | SCR HEX LOC M10-1.50X20MM         |       |
| 9    |             | 4     | SCR-HEX M10-1.5 X 40MM            | [8]   |
| 11   |             | 1     | WSH, INT SHPRF 10                 | [9]   |
| 12   |             | 3     | SCR, HEX THD FORM 10-24 X .38     | [10]  |
| 13   |             | 1     | WSH, FLT STD 5/16                 | [11]  |
| 14   |             | 1     | WSH, FLT .344 X .938 X .125       | [12]  |
| 15   | 56114199    | 1     | CHASSIS WELDMENT                  |       |
| 16   |             | 1     | BEARING CUP                       | [13]  |
| 17   |             | 1     | BEARING CONE                      | [14]  |
| 18   |             | 1     | SEAL, SHAFT                       | [15]  |
| 19   |             | 1     | BUSHING                           | [16]  |
| 20   |             | 1     | BLOCK, BEARING                    | [17]  |
| 21   | 56367117    | 2     | Scheibe Stahl                     |       |
| 22   |             | 1     | Bearing Ball                      | [18]  |
| 23   | 56382693    | 2     | Rad                               |       |
| 24   | 56412122    | 2     | Kantenschutz                      |       |
| 25   | 56412177    | 1     | Horn RückfahralarmBR 1100S        |       |
| 26   |             | 1     | CLAMP-P                           | [19]  |
| 27   | 56601050    | 1     | MOTOR DRIVE WHEEL                 |       |
| 27a  | 56601472    | 1     | Rad m. Nabe                       | [20]  |
| 27b  | 56601473    | 1     | Motor                             | [20]  |
| 27c  | 56601471    | 1     | Rad                               | [20]  |
| 27d  | 56601509    | 1     | Kohlebürstenkit                   | [20]  |
| 27e  | 56601507    | 1     | PARKING BRAKE                     | [20]  |
| 27f  | 56422174    | 1     | TIRE PULLER KIT                   | [21]  |
| 27g  | 56504482    | 1     | COVER DRIVE MOTOR                 | [20]  |
| 27h  | 56380310    | 1     | KIT BRAKE LEVER                   |       |
| 27i  | 56504481    | 1     | Gehäuse für Getriebe              |       |
| 28   |             | 1     | SPINDLE WELDT                     | [22]  |
| 29   |             | 1     | PLATE, STEERING                   | [23]  |
| 30   |             | 1     | GROUND CHAIN                      | [24]  |
| 31   |             | 1     | NUT, HEX NYL LOC 5/16-18          | [25]  |
| 32   |             | 1     | CLAMP-P                           | [26]  |
| 33   |             | 1     | NUT, HEX JAM 5/16-18              | [27]  |
| K1   | 56114271    | 1     | PLATE KIT-STEERING                | [28]  |
| K2   | 56114272    | 1     | SPINDLE KIT-MOTOR                 | [29]  |
| K3   | 56114274    | 1     | CHAIN KIT-GROUND                  | [30]  |
| K4   | 56114348    | 1     | HARDWARE KIT-CHASSIS SYSTEM       | [31]  |
| K5   | 56344181    | 1     | BEARING KIT-SPINDLE               | [32]  |
| K6   | 56344188    | 1     | BEARING BLOCK ASSEMBLY            | [33]  |


## Part Notes:

- [1] - Part of K4, SCR-HEX 5/16-18 X .88
- [2] - Part of K1, SCR, SOC HD 5/16-18 X 1.00
- [3] - Part of K1, NUT, HEX NYL LOC-THIN
- [4] - Part of K1, Scr Pan Phil SS M4-.07 x 40mm
- [5] - Part of K4, SCR, HEX THD TO HD 5/16-18 X 3.50
- [6] - Part of K6, SCR, HEX HD LOC
- [7] - Part of K2, NUT, HEX NYL LOC-THIN 1-14
- [8] - Part of K1, SCR-HEX M10-1.5 X 40MM
- [9] - Part of K3, WSH, INT SHPRF 10
- [10] - Part of K3, SCR, HEX THD FORM 10-24 X .38

- 
- |      |   |                                         |
|------|---|-----------------------------------------|
| [11] | - | Part of K4, WSH, FLT STD 5/16           |
| [12] | - | Part of K4, WSH, FLT .344 X .938 X .125 |
| [13] | - | Part of K6, BEARING CUP                 |
| [14] | - | Part of K5, BEARING CONE                |
| [15] | - | Part of K5, K6, SEAL, SHAFT             |
| [16] | - | Part of K1, BUSHING                     |
| [17] | - | Part of K6, BLOCK, BEARING              |
| [18] | - | Part of K5,K6<br>Bearing Ball           |
| [19] | - | Part of K1, CLAMP-P                     |
| [20] | - | (for 56601050)                          |
| [21] | - | (for 56601050) NOTE 1                   |
| [22] | - | Part of K2, SPINDLE WELDT               |
| [23] | - | Part of K1, PLATE, STEERING             |
| [24] | - | Part of K3, GROUND CHAIN                |
| [25] | - | Part of K4, NUT, HEX NYL LOC 5/16-18    |
| [26] | - | Part of K4, CLAMP-P                     |
| [27] | - | Part of K4, NUT, HEX JAM 5/16-18        |
| [28] | - | Includes pos. 2,3,4,9,10,19,26,29       |
| [29] | - | Includes pos. 7,28                      |
| [30] | - | Includes pos. 11,12, 30                 |
| [31] | - | Includes pos. 1,5,13,14,31,32,33        |
| [32] | - | Includes pos. 16,17,18,22               |
| [33] | - | Includes pos. 6,16,17,18,20,22          |

---

**Comments:**



## Resource notes:

K1 includes. pos. 32,33 K2 includes. pos. 1,7,30 K3 includes. pos. 15,18 K4 includes. pos. 6,21 K5 includes. pos. 3,8,11,13,14,16,22,24,27 K6 includes. pos. 2,9 K7 includes. pos. 4,5,12,31

| Pos. | Artikel-Nr. | Menge | Variante                            | Notes |
|------|-------------|-------|-------------------------------------|-------|
| 1    |             | 1     | WSH-FLT SAE 1/2                     | [1]   |
| 2    |             | 4     | WSH, FLT SAE 3/8                    | [2]   |
| 3    |             | 2     | SCR, SOC SET LOC 5/16-18 X .25      | [3]   |
| 4    |             | 3     | WSH, FLT SAE 1/4                    | [4]   |
| 5    |             | 3     | SCR-PAN PHIL 1/4-20 X .50           | [5]   |
| 6    |             | 3     | SCR-PAN PHIL 1/4-20 X .75           | [6]   |
| 7    |             | 1     | NUT, HEX NYL LOC-THIN               | [7]   |
| 8    |             | 2     | SCR, SOC SET LOC 3/8-16 X .38       | [8]   |
| 9    |             | 4     | SCR, HEX THD TO HD M10-1.5 X 25MM   | [9]   |
| 10   |             | 1     | KEY, WDF .62 X .19                  | [10]  |
| 11   |             | 3     | KEY, WDF .75 X .19                  | [11]  |
| 12   |             | 3     | Scr-Hex 5/16-18 x 1.25              | [12]  |
| 13   |             | 2     | SCR, PAN PHIL THD FORM 8-32 X .38   | [13]  |
| 14   |             | 4     | SCR, PAN PHIL THD FORM 1/4-20 X .50 | [14]  |
| 15   |             | 5     | SCR, TRUSS PHIL-BLK 10-24X.50       | [15]  |
| 16   |             | 1     | BUSHING                             | [16]  |
| 17   | 56114054    | 1     | SEAT PANEL WELDT                    |       |
| 18   |             | 1     | USER INTERFACE PANEL ASSEMBLY (A1)  | [17]  |
| 19   | 56114098    | 1     | STEERING COLUMN WELDT               |       |
| 20   | 56114150    | 1     | SHROUD-COLUMN                       |       |
| 21   |             | 1     | FOOT PEDAL ASSY                     | [18]  |
| 22   |             | 2     | BEARING, FLANGE                     | [19]  |
| 23   | 56303553    | 1     | KEY SWITCH ASSEMBLY                 |       |
| 24   |             | 2     | COLLAR, SHAFT                       | [20]  |
| 25   | 56412198    | 1     | Lenkkette                           |       |
| 26   | 56454081    | 1     | Kreuzgelenk zu 5015B                |       |
| 27   |             | 1     | SPROCKET                            | [21]  |
| 28   | 56601060    | 1     | STEERING WHEEL                      |       |
| 29   | 56601223    | 1     | SHAFT LOWER STEERING                |       |
| 30   |             | 1     | SHAFT, UPPER STEERING               | [22]  |
| 31   |             | 1     | KNOB, 5/16 STUD                     | [23]  |
| 32   | 7-82-00050  | 1     | Sitzschalter BR 1300 S              |       |
| 33   |             | 1     | SEAT                                | [24]  |
| 34   | 56477613    | 2     | Kabelbändli 7x380mm                 |       |
| 35   | 56315382    | 1     | CLIP CONDUIT                        |       |
| 36   |             | 3     | Flanged Bushing Seat                | [25]  |
| 37   |             | 5     | Washer-Black Nylon-6/6              |       |
| K1   | 56383240    | 1     | SEAT KIT                            | [26]  |
| K2   | 56114298    | 1     | SHAFT KIT-UPPER STEERING            | [27]  |
| K3   | 56114299    | 1     | USER INTERFACE PANEL KIT            | [28]  |
| K4   | 56114300    | 1     | FOOT PEDAL KIT                      | [29]  |
| K5   | 56114302    | 1     | HARDWARE KIT-STEERING COLUMN        | [30]  |
| K6   | 56114303    | 1     | HARWARE KIT-STEERING MOUNT          | [31]  |
| K7   | 56114304    | 1     | HARDWARE KIT-SEAT                   | [32]  |

## Part Notes:

- [1] - WSH-FLT SAE 1/2
- [2] - WSH, FLT SAE 3/8
- [3] - SCR, SOC SET LOC 5/16-18 X .25
- [4] - WSH, FLT SAE 1/4
- [5] - SCR-PAN PHIL 1/4-20 X .50
- [6] - SCR-PAN PHIL 1/4-20 X .75
- [7] - NUT, HEX NYL LOC-THIN
- [8] - SCR, SOC SET LOC 3/8-16 X .38
- [9] - SCR, HEX THD TO HD M10-1.5 X 25MM
- [10] - KEY, WDF .62 X .19
- [11] - KEY, WDF .75 X .19
- [12] - Scr-Hex 5/16-18 x 1.25
- [13] - SCR, PAN PHIL THD FORM 8-32 X .38


- 
- [14] - SCR, PAN PHIL THD FORM 1/4-20 X .50
  - [15] - SCR, TRUSS PHIL-BLK 10-24X.50
  - [16] - BUSHING
  - [17] - USER INTERFACE PANEL ASSEMBLY (A1)
  - [18] - FOOT PEDAL ASSY
  - [19] - BEARING, FLANGE
  - [20] - COLLAR, SHAFT
  - [21] - SPROCKET
  - [22] - SHAFT, UPPER STEERING
  - [23] - KNOB, 5/16 STUD
  - [24] - SEAT

Seat 8-69-00022 (steel seat pan) has been replaced by Seat 56383187 (plastic seat pan) in production. Please order Seat Kit 56383240 when replacing Seat 8-69-00022.

- [25] - Flanged Bushing Seat
- [26] - Includes. pos. 32,33
- [27] - Includes. pos. 1,7,30
- [28] - Includes. pos. 15,18
- [29] - Includes. pos. 6,21
- [30] - Includes. pos. 3,8,11,13,14,16,22,24,27
- [31] - Includes. pos. 2,9
- [32] - Includes. pos. 4,5,12,31

---

**Comments:**




Resource notes:

K1 Includes. pos. 1,3,4,5,6,8

| Pos. | Artikel-Nr. | Menge | Variante                | Notes |
|------|-------------|-------|-------------------------|-------|
| 01   |             | 1     | DECAL, CAUTION          | [1]   |
| 02   |             | 2     | SERIAL PLATE DATA TABLE | [2]   |
| 03   |             | 2     | DECAL-SCRUBTEC R6       | [3]   |
| 04   |             | 1     | DECAL, CIRCUIT BREAKER  | [4]   |
| 05   |             | 1     | DECAL-BATTERY WIRING    | [5]   |
| 06   |             | 1     | DECAL-ERROR CODES       | [6]   |
| 08   |             | 1     | LABEL NILFI SK-ALTO     | [7]   |
| K1   | 56114323    | 1     | DECAL KIT-SCRUBTEC R 6  | [8]   |

## Part Notes:

- [1] - DECAL, CAUTION
- [2] - SERIAL PLATE DATA TABLE
- [3] - DECAL-SCRUBTEC R6
- [4] - DECAL, CIRCUIT BREAKER
- [5] - DECAL-BATTERY WIRING
- [6] - DECAL-ERROR CODES
- [7] - LABEL NILFI SK-ALTO
- [8] - Includes. pos. 1,3,4,5,6,8



Resource notes:

K1 Includes. pos. 22,33 K2 Includes. pos. 5,24,28,34 K3 Includes. pos. 8,11,12,32 K4 Includes. pos. 26,27,29 K5 Includes. pos. 1,21,23 K6 Includes. pos. 2,3,4,6,7,9,10

| Pos. | Artikel-Nr. | Menge | Variante                        | Notes |
|------|-------------|-------|---------------------------------|-------|
| 1    | L08812063   | 8     | Batterie-Pol, plus              | [1]   |
| 2    |             | 3     | Wsh, Flt SAE 5/16               | [2]   |
| 3    |             | 2     | SCR-PAN PHIL 8-32 X .62         | [3]   |
| 4    |             | 3     | SCR-PAN PHIL 1/4-20 X .75       | [4]   |
| 5    |             | 3     | NUT, HEX W/ SHPRF 1/4-20        | [5]   |
| 6    |             | 3     | SCR-HEX 5/16-18 X .75           | [6]   |
| 7    |             | 4     | NUT, HEX NYL LOC-THIN 1/4-20    | [7]   |
| 8    |             | 2     | SCR-PAN PHIL 1/4-20 X 1.75      | [8]   |
| 9    |             | 3     | WSH-FLT .281 X .875 X .036      | [9]   |
| 10   |             | 1     | Scr Hex Thd Form 10-24x.38      | [10]  |
| 11   |             | 2     | WSH, FLT SS .260 X 1.000 X .074 | [11]  |
| 12   |             | 2     | SPACER, PHENOLIC                | [12]  |
| 13   | 56114406    | 1     | HARNESS-MAIN                    | [13]  |
| 14   | 56114163    | 1     | PANEL-ELECTRICAL                |       |
| 15   | 56114164    | 1     | PANEL-SWITCH                    |       |
| 16   | 56114201    | 1     | HARNESS-POWER                   |       |
| 17   | 56114234    | 1     | SPEED CONTROLLER                |       |
| 18   | 56114255    | 1     | GASKET-.25 X .50 X 37.38        |       |
| 19   | 56114256    | 1     | GASKET-.25 X .50 X 31.50        |       |
| 20   | 56344205    | 1     | HARNESS-TRACTION                |       |
| 21   | 2-00-05171  | 8     | BAT TERMINAL COVER RED          | [14]  |
| 22   |             | 1     | DISCONNECT, EMERGENCY (S4)      | [15]  |
| 23   | 56409485    | 3     | Batteriekabel 1 x 15.00         |       |
| 24   |             | 1     | FUSE, 150 AMP (F1)              | [16]  |
| 25   | 56412179    | 1     | CONTACTOR 24 VDC                |       |
| 26   | 56454429    | 1     | CIRCUIT BREAKER 70A             | [17]  |
| 27   |             | 1     | BOOT, RESET BUTTON              | [18]  |
| 28   |             | 3     | ELECTRICAL MOUNT                | [19]  |
| 29   | 56507644    | 1     | CIRCUIT BREAKER 10 AMP          | [17]  |
| 30   | 56601172    | 1     | Stecker ASM                     | [20]  |
| 31   | 56601183    | 1     | CONTACTOR 24V 100 AMP           |       |
| 32   |             | 1     | PROP ROD, SEAT                  | [21]  |
| 33   |             | 1     | EMERGENCY BUTTON GUARD          | [22]  |
| 34   |             | 3     | STUD, 1/4-20                    | [23]  |
| 35   | L08812064   | 8     | Batterie-Pol, minus             |       |
| 36   | 40849A      | 1     | SUPPRESSOR EMI SPLIT            |       |
| 37   | 56601431    | 1     | CABLE ASSEMBLY                  |       |
| 38   | 2-00-05173  | 4     | BAT TERMINAL COVER BLK          |       |
| K1   | 56114293    | 1     | ESTOP KIT                       | [24]  |
| K2   | 56114294    | 1     | STANDOFF AND BREAKER KIT        | [25]  |
| K3   | 56114295    | 1     | PROP ROD KIT                    | [26]  |
| K4   | 56114296    | 1     | CIRCUIT BREAKER KIT             | [27]  |
| K6   | 56114351    | 1     | HARDWARE KIT-ELEC SYSTEM        | [28]  |
| NS   | 56389265    | 2     | Diode                           | [29]  |


## Part Notes:

- [1] - CABLE TIE
- [2] - Part of K6, WSH, FLT SAE 5/16
- [3] - Part of K6, SCR-PAN PHIL 8-32 X .62
- [4] - Part of K6, SCR-PAN PHIL 1/4-20 X .75
- [5] - Part of K2, NUT, HEX W/ SHPRF 1/4-20
- [6] - Part of K6, SCR-HEX 5/16-18 X .75
- [7] - Part of K6, NUT, HEX NYL LOC-THIN 1/4-20
- [8] - Part of K3, SCR-PAN PHIL 1/4-20 X 1.75
- [9] - Part of K6, WSH-FLT .281 X .875 X .036
- [10] - Part of K6, SCR HEX THD FORM 10-24 X .25
- [11] - Part of K3, WSH, FLT SS .260 X 1.000 X .074
- [12] - Part of K3, SPACER, PHENOLIC
- [13] - HARNESS-MAIN

- 
- |      |   |                                        |
|------|---|----------------------------------------|
| [14] | - | BOOT-BATTERY POST                      |
| [15] | - | Part of K1, DISCONNECT, EMERGENCY (S4) |
| [16] | - | Part of K2, FUSE, 150 AMP (F1)         |
| [17] | - | Part of K4                             |
| [18] | - | BOOT, RESET BUTTON<br>Part of K4       |
| [19] | - | ELECTRICAL MOUNT                       |
| [20] | - | ONLY USED IN US                        |
| [21] | - | Part of Pos K3, PROP ROD, SEAT         |
| [22] | - | Part of K1, EMERGENCY BUTTON GUARD     |
| [23] | - | Part of K2, STUD, 1/4-20               |
| [24] | - | Includes. pos. 22,33                   |
| [25] | - | Includes. pos. 5,24,28,34              |
| [26] | - | Includes. pos. 8,11,12,32              |
| [27] | - | Includes. pos. 26,27,29                |
| [28] | - | Includes. pos. 2,3,4,6,7,9,10          |
| [29] | - | Not shown<br>TSBUS2003-843             |

---

**Comments:**



## Resource notes:

K1 Includes. pos. 20,21 K2 Includes. pos. 3,15,18,19,22,24 K3 Includes. pos. 2,4,8,23 K4 Includes. pos. 4,5,6,7,9  
K5 Includes. pos. 26,27

NOTE 1: Drain hose 56383322 replaced hose 56114168. If you are replacing 56114168 order drain hose kit 56383357.

| Pos. | Artikel-Nr. | Menge | Variante                     | Notes |
|------|-------------|-------|------------------------------|-------|
| 1    | 56114327    | 1     | GASKET-AIR DUCT              |       |
| 2    |             | 2     | Clamp, plastic               | [1]   |
| 3    | 56412154    | 1     | dichtung                     | [2]   |
| 4    |             | 9     | SCR-PAN phil 10-24 x .50     | [3]   |
| 5    |             | 4     | WSH, FLT STD 10              | [4]   |
| 6    |             | 2     | SCR PAN phil ss 1/4-20 x 145 | [5]   |
| 7    |             | 2     | SCR PAN phil 10-24 x 0.88    | [6]   |
| 8    |             | 1     | Clamp hose                   | [7]   |
| 9    |             | 2     | WSH-FLT sea ss 10            | [8]   |
| 10   | 56114055    | 1     | TANK-RECOVERY                |       |
| 11   | 56114057    | 1     | COVER-RECOVERY TANK          |       |
| 12   | 56383322    | 1     | DRAIN HOSE ASSY-1.5-BLK      | [9]   |
| 13   | 56114171    | 1     | Saugschlauch                 |       |
| 14   | 56114185    | 1     | GASKET-RECOVERY TANK         |       |
| 15   | 56114233    | 1     | SEAL ASSY-VAC FAN            | [2]   |
| 16   | 56302142    | 1     | Schwimmerdeckel BA 430       |       |
| 17   | 56315102    | 1     | Abdeckung f. Saugmotor       |       |
| 18   |             | 3     | Mount, vibration             | [10]  |
| 19   |             | 1     | Foam tube assembly           | [11]  |
| 20   |             | 2     | Cage, float                  | [12]  |
| 21   |             | 1     | Ball, float                  | [13]  |
| 22   |             | 1     | Motor, Vac 24VDC (M5)        | [14]  |
| 23   |             | 1     | Clamp hose sae 32            | [15]  |
| 24   |             | 1     | Tie, cable                   | [16]  |
| 25   | 56601128    | 2     | Klemmbügel                   |       |
| 26   |             | 1     | Stainer basket               | [17]  |
| 27   |             | 1     | Cover, debris                | [18]  |
| K1   | 56112303    | 1     | Schwimmerventilkit           | [19]  |
| K2   | 56114278    | 1     | VAC MOTOR KIT                | [20]  |
| K3   | 56114279    | 1     | HOSE CLAMP KIT-DRAIN         | [21]  |
| K4   | 56114350    | 1     | HARDWARE KIT-RECOVERY SYSTEM | [22]  |
| K5   | 56601086    | 1     | Grobschmutzbehälter          | [23]  |
| NS   | 56114344    | 1     | CAP KIT-DRAIN HOSE           | [24]  |
| NS   | 56380529    | 1     | CARBON-BRUSH/SET OF 2        | [25]  |


## Part Notes:

- [1] - Part of K3, CLAMP, PLASTIC
- [2] - Part of K2
- [3] - Part of K3, K4, SCR-PAN PHIL 10-24 X .50
- [4] - Part of K4, WSH, FLT STD 10
- [5] - Part of K4, SCR, PAN PHIL SS 1/4-20 X 175
- [6] - Part of K4, SCR-PAN PHIL 10-24 X .88
- [7] - Part of K3, CLAMP-HOSE
- [8] - Part of K4, WSH-FLT SAE SS 10
- [9] - See NOTE 1
- [10] - Part of K2, MOUNT, VIBRATION
- [11] - Part of K2, FOAM TUBE ASSEMBLY
- [12] - Part of K1, CAGE, FLOAT
- [13] - Part of K1, BALL, FLOAT
- [14] - Part of K2, MOTOR, VAC 24VDC (M5)
- [15] - Part of K3, CLAMP- HOSE SAE 32
- [16] - Part of K2, TIE, CABLE
- [17] - Part of K5, STRAINER BASKET
- [18] - Part of K5, COVER, DEBRIS
- [19] - Includes. pos. 20,21
- [20] - Includes. pos. 3,15,18,19,22,24
- [21] - Includes. pos. 2,4,8,23
- [22] - Includes. pos. 4,5,6,7,9

- [23] - Includes. pos. 26,27  
COMPLEXITY REDUCTION
- [24] - For 56114168
- [25] - For Motor, Vac 24vdc

---

**Comments:**



## Resource notes:

NOTE 1: See Scrub System-Cylindrical Skirt Assemblies. K10 Includes pos. 5,7,9,10,20,21,50 K13 Includes pos. 2,9,12,19,38,46,49 K17 Includes pos. 3,43 K18 Includes pos. 13,44 K19 Includes pos. 17,18,40 K20 Includes pos. 1,24,27,28,34,37,39 K26 Includes pos. 2,12,19,38,46 K27 Includes pos. 11,15,22,35,45


| Pos. | Artikel-Nr. | Menge | Variante                              | Notes |
|------|-------------|-------|---------------------------------------|-------|
| 1    |             | 1     | HOSE, SPIRAL                          | [1]   |
| 2    |             | 2     | WSH-FLT SAE 1/2                       | [2]   |
| 3    |             | 4     | SCR, SOC SET LOC 5/16-18 X .25        | [3]   |
| 4    | 56002667    | 2     | Schraube 5/16-18 X.75                 |       |
| 5    |             | 1     | SCR-HEX 3/8-16 X 1.75                 | [4]   |
| 6    | 56002701    | 2     | MUTTER 5-16-18 HEX JAM                |       |
| 7    |             | 1     | NUT, HEX NYL LOC-THIN 3/8-16          | [5]   |
| 8    | 56002948    | 6     | Schraube 1/4-20 X .75                 |       |
| 9    |             | 3     | PIN, COTTER HAIR                      | [6]   |
| 10   |             | 1     | PIN, COTTER HAIR .0915 X .375         | [7]   |
| 11   |             | 1     | Intentionally Omitted                 |       |
| 12   |             | 2     | SCR, HEX LOC M12-1.75 X 35MM          | [8]   |
| 13   |             | 9     | NUT, HEX NYL LOC SS M6-1              | [9]   |
| 14   | 56003431    | 2     | Schraube M6 x 16                      |       |
| 15   |             | 1     | SCR-HEX SS M6-1 X 95MM                | [10]  |
| 16   | 56003603    | 2     | Schraube 1/4-2 OX.38                  |       |
| 17   |             | 4     | NUT, HEX JAM SS M12-1.75              | [11]  |
| 18   |             | 4     | SCR, HEX THD TO HD SS M12-1.75 X 70MM | [12]  |
| 19   |             | 2     | PIN, RING .50 X 1.25                  | [13]  |
| 20   |             | 1     | PIN, RING .50 X 1.63                  | [14]  |
| 21   |             | 1     | PIN- CLEVIS SS .375 X 2.50            | [15]  |
| 22   |             | 2     | WSH, BOWED .375 X .578 X .060         | [16]  |
| 23   | 56009086    | 4     | NUT, HEX JAM 5/16-18                  |       |
| 24   |             | 2     | CLAMP- HOSE SAE 10                    | [17]  |
| 25   | 56114120    | 1     | LT SKIRT ASSY-28C                     | [18]  |
| 26   | 56114121    | 1     | RT SKIRT ASSY-28C                     | [18]  |
| 27   |             | 1     | CLAMP- HOSE SAE 12                    | [19]  |
| 28   |             | 1     | TEE, BARB                             | [20]  |
| 29   | 56009060    | 2     | SCHEIBE-U                             |       |
| 30   | 56314445    | 2     | Bürstenhalterung kompl.zu BR 850SC    |       |
| 30A  | 56106070    | 1     | BEARING BALL Z22                      |       |
| 30B  | 56407303    | 1     | Rändelmutter                          |       |
| 30C  | 56315447    | 1     | Spannradträger                        |       |
| 30D  | 56407551    | 1     | Bürstenklaue zu BR 850/C              |       |
| 30E  | 56407558    | 1     | Scheibe zu BR 850                     |       |
| 31   | 56315061    | 2     | Motor 24V 5HP                         |       |
| 32   | 56315321    | 2     | Riemen Poly-V Walzenbürst             |       |
| 33   | 56315445    | 2     | Riemenabdeckung                       |       |
| 34   |             | 1     | BARB, COUPLER 1/2 X 3/4               | [21]  |
| 35   |             | 1     | WHEEL                                 | [22]  |
| 36   | 56316210    | 2     | HARNES BRUSH MOTOR                    |       |
| 37   |             | 2     | MANIFOLD, PVC 28 ADV                  | [23]  |
| 38   |             | 2     | BUSHING                               | [24]  |
| 39   |             | 1     | HOSE, .75 CLEAR PVC                   | [25]  |
| 40   |             | 4     | KNOB - M12-1.75 THRU                  | [26]  |
| 41   | 56401783    | 2     | Anschlagschraube BR 700S              |       |
| 42   | 56407391    | 2     | Spritzschutz vorne/hinten             |       |
| 43   |             | 2     | SHEAVE, POLY-V                        | [27]  |
| 44   |             | 2     | DRIVE END ASSY                        | [28]  |
| 44A  | 56002119    | 2     | Schraube 1/4-20x50zu BR 1000          |       |
| 44B  | 56003237    | 1     | Keil 19x.62                           |       |
| 44C  | 56106070    | 2     | BEARING BALL Z22                      |       |
| 44D  | 56109527    | 1     | Bürstenklaue BR 950                   |       |
| 44E  | 56381765    | 1     | Lagerplatte                           |       |
| 44F  | 56407389    | 1     | Distanzbüchse                         |       |
| 44G  | 56407442    | 1     | Riemenscheibe POLY-V                  |       |
| 44H  | 56407558    | 1     | Scheibe zu BR 850                     |       |
| 45   |             | 1     | BUSHING                               | [29]  |
| 46   |             | 2     | BEARING, FLANGE                       | [30]  |

| Pos. | Artikel-Nr. | Menge | Variante                                   | Notes |
|------|-------------|-------|--------------------------------------------|-------|
| 47   | 56493357    | 2     | INSULATOR TERMINAL                         |       |
| 48   | 56601048    | 1     | HOUSING WELDT                              |       |
| 49   |             | 1     | DECK LINKAGE, WELDT                        | [31]  |
| 50   |             | 1     | YOKE, ACTUATOR                             | [32]  |
| 51   | 56114377    | 1     | LIFT ACTUATOR ASSY-CYL DECK                |       |
| 51A  | 56009019    | 2     | Schraube 1/4-20x.38                        |       |
| 51B  | 56009062    | 4     | Schraube                                   |       |
| 51C  | 56114362    | 1     | ACTUATOR                                   |       |
| 51D  | 56396268    | 1     | Führung f. Feder                           |       |
| 51E  | 56412071    | 1     | Druckfeder                                 |       |
| 51F  | 56412262    | 1     | Federgehäuse BA750/850                     |       |
| 51G  | 56420019    | 1     | Mutter arretierung                         |       |
| 51H  | 56420020    | 1     | Mutter arretierung                         |       |
| 51J  | 56601470    | 1     | COMPRESSION SPRING                         |       |
| 52   |             | 4     | KNOB                                       | [33]  |
| 53   | 56601675    | 1     | BRACKET                                    |       |
| 54   | 56601049    | 1     | HOPPER WELDT                               |       |
| 55   | 56009019    | 1     | Schraube 1/4-20x.38                        |       |
| K10  | 56114290    | 1     | HARDWARE KIT-ACTUATOR                      | [34]  |
| K13  | 56114307    | 1     | LIFT KIT-DECK                              | [35]  |
| K17  | 56114312    | 2     | SHEAVE KIT-BRUSH DRIVE                     | [36]  |
| K18  | 56114313    | 2     | DRIVE END ASSEMBLY KIT                     | [37]  |
| K19  | 56114314    | 2     | MOUNTING POST KIT-SIDE SKIRT               | [38]  |
| K20  | 56114317    | 1     | HOSE KIT-SOLUTION CYL                      | [39]  |
| K26  | 56344180    | 1     | HARDWARE KIT-DECK LINKAGE                  | [40]  |
| K27  | 56344183    | 1     | BUMPER WHEEL KIT                           | [41]  |
| NS   | 56412257    | 1     | BRUSH CAP ASSY                             |       |
| NS   | 56412287    | 1     | Kohlenbürstensenst m. Federkompl. BA 755/8 |       |
| NS   | 56412259    | 4     | Bürstenfeder(4 Stk. pro Motor)             |       |
| NS   | 56412258    | 4     | Bürste (4 Stk. pro Motor)                  |       |

## Part Notes:

- [1] - Part of pos. K20 - HOSE, SPIRAL
- [2] - Part of pos. K13 and K26 - WSH-FLT SAE 1/2
- [3] - Part of K17 - SCR, SOC SET LOC 5/16-18 X .25
- [4] - Part of K10 - SCR-HEX 3/8-16 X 1.75
- [5] - Part of K10 - NUT, HEX NYL LOC-THIN 3/8-16
- [6] - Part of K10, K13, K26 - PIN, COTTER HAIR
- [7] - Part of K10 - PIN, COTTER HAIR .0915 X .375
- [8] - Part of K13, K26 - SCR, HEX LOC M12-1.75 X 35MM
- [9] - Part of K18, K27 - NUT, HEX NYL LOC SS M6-1
- [10] - Part of K28 - SCR-HEX SS M6-1 X 95MM
- [11] - Part of K19 - NUT, HEX JAM SS M12-1.75
- [12] - Part of K19 - SCR, HEX THD TO HD SS M12-1.75 X 70MM
- [13] - Part of K13, K26 - PIN, RING .50 X 1.25
- [14] - Part of K10 - PIN, RING .50 X 1.63
- [15] - Part of K10 - PIN- CLEVIS SS .375 X 2.50
- [16] - Part of K28 - WSH, BOWED .375 X .578 X .060
- [17] - Part of K20 - CLAMP- HOSE SAE 10
- [18] - See Scrub System-Cylindrical Skirt Assemblies.  
SCRUB SYSTEM-CYLINDRICAL SKIRT ASSEMBLIES
- [19] - Part of K20 - CLAMP- HOSE SAE 12
- [20] - Part of K20 - TEE, BARB
- [21] - Part of pos. K20 - BARB, COUPLER 1/2 X 3/4
- [22] - Part of K28 - WHEEL
- [23] - Part of K20 - MANIFOLD, PVC 28 ADV
- [24] - Part of K13, K26 - BUSHING
- [25] - Part of K20 - HOSE, .75 CLEAR PVC
- [26] - Part of K19 - KNOB - M12-1.75 THRU

- 
- [27] - Part of K17 - SHEAVE, POLY-V
  - [28] - DRIVE END ASSY
  - [29] - Part of pos. K28 - BUSHING
  - [30] - Part of pos. K13, K26 - BEARING, FLANGE
  - [31] - Part of K13 - DECK LINKAGE, WELDT
  - [32] - Part of K10 - YOKE, ACTUATOR
  - [33] - Part of K19 - KNOB
  - [34] - Includes pos. 5,7,9,10,20,21,50
  - [35] - Includes pos. 2,9,12,19,38,46,49
  - [36] - Includes pos. 3,43
  - [37] - Includes pos. 13,44
  - [38] - Includes pos. 17,18,40, 52
  - [39] - Includes pos. 1,24,27,28,34,37,39
  - [40] - Includes pos. 2,9,12,19,38,46
  - [41] - Includes pos. 11,13,15,22,35,45



## Resource notes:

NOTE 1: See Scrub System-71-86 Disk Skirt Assemblies. K1 Includes pos. 16,40 K2 Includes pos. 17,28 K4 Includes pos. 11,31,36,41 K10 Includes pos. 4,6,7,9,20,24,50 K11 Includes pos. 10,14,15,52 K12 Includes pos. 25,32,33,34,35,37 K13 Includes pos. 1,7,13,23,38,43,47 K14 Includes pos. 3,5,31,57 K22 Includes pos. 12,26,44,46,55 K24 Includes pos. 2,8,14,21,22,42 K26 Includes pos. 1,7,13,23,38,43


| Pos. | Artikel-Nr. | Menge | Variante                                 | Notes |
|------|-------------|-------|------------------------------------------|-------|
| 1    |             | 4     | WSH-FLT SAE 1/2                          | [1]   |
| 2    |             | 2     | SCR-PAN PHIL 10-24 X .75                 | [2]   |
| 3    |             | 3     | SCR-HEX 5/16-18 X .75                    | [3]   |
| 4    |             | 1     | SCR-HEX 3/8-16 X 1.75                    | [4]   |
| 5    |             | 3     | NUT, HEX NYL LOC 5/16-18                 | [5]   |
| 6    |             | 1     | NUT, HEX NYL LOC-THIN                    | [6]   |
| 7    |             | 3     | PIN, COTTER HAIR                         | [7]   |
| 8    |             | 2     | SCR-HEX SS                               | [8]   |
| 9    |             | 1     | PIN, COTTER HAIR .0915 X .375            | [9]   |
| 10   |             | 8     | SCR, HEX SS M6-1 X 12MM                  | [10]  |
| 11   |             | 2     | RING, RET EXT TYPE E 0.50 DIA            | [11]  |
| 12   |             | 2     | SCR-HEX LOC SS 5/16-18 X .88             | [12]  |
| 13   |             | 2     | SCR, HEX LOC M12-1.75 X 35MM             | [13]  |
| 14   |             | 6     | NUT, HEX NYL LOC SS M6-1                 | [14]  |
| 15   |             | 5     | SCR, HEX THD TO HD SS M6-1 X 20MM        | [15]  |
| 16   |             | 2     | SCREW, GIMBAL MOUNT                      | [16]  |
| 17   |             | 2     | KEY, SQUARE .25 X 1.44                   | [17]  |
| 18   | 56003657    | 4     | Mutter M12-1.75                          |       |
| 19   | 56003658    | 4     | Schraube                                 |       |
| 20   |             | 1     | PIN, RING .50 X 1.63                     | [18]  |
| 21   |             | 1     | SCR, HEX THD TO HD SS M6-1 X 25MM        | [19]  |
| 22   |             | 1     | WSH-FLT SS .33 X 1.00 X .060             | [20]  |
| 23   |             | 2     | PIN, RING .500 X 1.18                    | [21]  |
| 24   |             | 1     | PIN- CLEVIS SS .375 X 2.50               | [22]  |
| 25   |             | 2     | SCR, PAN PHIL THD FORM 10-24 X .50       | [23]  |
| 26   |             | 2     | WSH, FLT HARDEN .344 X 1.000 X .120/.135 | [24]  |
| 27   | 56016163    | 1     | Aufkleber no-Step                        |       |
| 28   |             | 2     | SHAFT-HUB MOUNT                          | [25]  |
| 29   | 56114110    | 1     | LEFT SKIRT ASSY-28D                      | [26]  |
| 30   | 56114111    | 1     | RIGHT SKIRT ASSY-28-34D                  | [26]  |
| 31   |             | 1     | ROLLER BRKT WELDT-28                     | [27]  |
| 32   |             | 1     | CLAMP- HOSE SAE 12                       | [28]  |
| 33   |             | 2     | HOSE, SPIRAL .500                        | [29]  |
| 34   |             | 1     | TEE, BARB 3/4 X 1/2 X 1/2                | [30]  |
| 35   |             | 1     | HOSE                                     | [31]  |
| 36   |             | 1     | PIN                                      | [32]  |
| 37   |             | 2     | CLAMP-P                                  | [33]  |
| 38   |             | 2     | BUSHING                                  | [34]  |
| 39   | 56380149    | 4     | Rändelschraube                           |       |
| 40   |             | 2     | GIMBAL-COLLAR ASSEMBLY                   | [35]  |
| 41   |             | 1     | WHEEL, ROLLER                            | [36]  |
| 42   |             | 1     | CLAMP, 1.25 HOSE SUPPORT                 | [37]  |
| 43   |             | 2     | BEARING, FLANGE                          | [38]  |
| 44   |             | 1     | TIE, CABLE                               | [39]  |
| 45   | 56601113    | 1     | Grundplatte                              |       |
| 46   |             | 2     | MOTOR GEARBOX ASSY (M7) (M9)             | [40]  |
| 46A  | 56601533    | 1     | MOTOVARIO GEARBOX                        |       |
| 46B  | 56601537    | 1     | BALL BEARING OUTPUT SIDE                 |       |
| 46C  | 56314580    | 1     | Kugellager                               |       |
| 46D  | 56601534    | 2     | CARBON BRUSH                             |       |
| 46E  | 56601508    | 1     | PLASTIC COVER                            |       |
| 46F  | 56601536    | 1     | MOTOR FAN                                |       |
| 46G  | 56601535    | 1     | Keil                                     |       |
| 47   |             | 1     | DECK LINKAGE, WELDT                      | [41]  |
| 48   | 56114394    | 1     | BLADE FRONT 28 GUM                       |       |
| 49   | 56601289    | 2     | ROD UP STOP                              |       |
| 50   |             | 1     | YOKE, ACTUATOR                           | [42]  |
| 51   | 56601388    | 2     | Anschlag                                 |       |
| 52   |             | 2     | BRACKET, MOTOR                           | [43]  |

| Pos. | Artikel-Nr. | Menge | Variante                      | Notes |
|------|-------------|-------|-------------------------------|-------|
| 53   | 56114369    | 1     | LIFT ACTUATOR ASSEMBLY        |       |
| 53A  | 56009019    | 2     | Schraube 1/4-20x.38           |       |
| 53B  | 56009062    | 4     | Schraube                      |       |
| 53C  | 56114362    | 1     | ACTUATOR                      |       |
| 53D  | 56396268    | 1     | Führung f. Feder              |       |
| 53E  | 56412071    | 1     | Druckfeder                    |       |
| 53F  | 56412262    | 1     | Federgehäuse BA750/850        |       |
| 53G  | 56420019    | 1     | Mutter arretierung            |       |
| 53H  | 56420020    | 1     | Mutter arretierung            |       |
| 53J  | 56601470    | 1     | COMPRESSION SPRING            |       |
| 54   | 56601578    | 4     | Drehknopf                     |       |
| 55   |             | 2     | FERRITE BEAD                  | [44]  |
| 56   | 56601687    | 1     | FERRITE BEAD                  |       |
| 57   |             | 2     | BEARING, FLANGE               | [38]  |
| K1   | 56114281    | 2     | GIMBLE KIT                    | [45]  |
| K2   | 56114282    | 2     | SHAFT KIT-HUB MOUNT           | [46]  |
| K4   | 56114284    | 1     | ROLLER KIT-L/R                | [47]  |
| K10  | 56114290    | 1     | HARDWARE KIT-ACTUATOR         | [48]  |
| K11  | 56114291    | 2     | HARDWARE KIT-MOTOR BRKT       | [49]  |
| K12  | 56114306    | 1     | MANIFOLD KIT-SOLUTION 28D     | [50]  |
| K13  | 56114307    | 1     | LIFT KIT-DECK                 | [51]  |
| K14  | 56114309    | 1     | ROLLER MOUNT KIT-RT 28D       | [52]  |
| K22  | 56114324    | 2     | MOTOR KIT-BRUSH EU            | [53]  |
| K24  | 56114352    | 1     | HARDWARE KIT-28D SCRUB SYSTEM | [54]  |
| K26  | 56344180    | 1     | HARDWARE KIT-DECK LINKAGE     | [55]  |

## Part Notes:

- [1] - WSH-FLT SAE 1/2
- [2] - SCR-PAN PHIL 10-24 X .75
- [3] - SCR-HEX 5/16-18 X .75
- [4] - SCR-HEX 3/8-16 X 1.75
- [5] - NUT, HEX NYL LOC 5/16-18
- [6] - NUT, HEX NYL LOC-THIN
- [7] - PIN, COTTER HAIR
- [8] - SCR-HEX SS
- [9] - PIN, COTTER HAIR .0915 X .375
- [10] - SCR, HEX SS M6-1 X 12MM
- [11] - RING, RET EXT TYPE E 0.50 DIA
- [12] - SCR-HEX LOC SS 5/16-18 X .88
- [13] - SCR, HEX LOC M12-1.75 X 35MM
- [14] - NUT, HEX NYL LOC SS M6-1
- [15] - SCR, HEX THD TO HD SS M6-1 X 20MM
- [16] - SCREW, GIMBAL MOUNT
- [17] - KEY, SQUARE .25 X 1.44
- [18] - PIN, RING .50 X 1.63
- [19] - SCR, HEX THD TO HD SS M6-1 X 25MM
- [20] - WSH-FLT SS .33 X 1.00 X .060
- [21] - PIN, RING .500 X 1.18
- [22] - PIN- CLEVIS SS .375 X 2.50
- [23] - SCR, PAN PHIL THD FORM 10-24 X .50
- [24] - WSH, FLT HARDEN .344 X 1.000 X .120/.135
- [25] - SHAFT-HUB MOUNT
- [26] - NOTE 1
- [27] - ROLLER BRKT WELDT-28
- [28] - CLAMP- HOSE SAE 12
- [29] - HOSE, SPIRAL .500
- [30] - TEE, BARB 3/4 X 1/2 X 1/2
- [31] - HOSE
- [32] - PIN

- 
- [33] - CLAMP-P
  - [34] - BUSHING
  - [35] - GIMBAL-COLLAR ASSEMBLY
  - [36] - WHEEL, ROLLER
  - [37] - CLAMP, 1.25 HOSE SUPPORT
  - [38] - BEARING, FLANGE
  - [39] - TIE, CABLE
  - [40] - MOTOR GEARBOX ASSY (M7) (M9)
  - [41] - DECK LINKAGE, WELDT
  - [42] - YOKE, ACTUATOR
  - [43] - BRACKET, MOTOR
  - [44] - FERRITE BEAD
  - [45] - Includes pos. 16,40
  - [46] - Includes pos. 17,28
  - [47] - Includes pos. 11,31,36,41
  - [48] - Includes pos. 4,6,7,9,20,24,50
  - [49] - Includes pos. 10,14,15,52
  - [50] - Includes pos. 25,32,33,34,35,37
  - [51] - Includes pos. 1,7,13,23,38,43,47
  - [52] - Includes pos. 3,5,31,57
  - [53] - Includes pos. 12,26,44,46,55
  - [54] - Includes pos. 2,8,14,21,22,42
  - [55] - Includes pos. 1,7,13,23,38,43



## Resource notes:

NOTE 1: See Scrub System-71-86 Disk Skirt Assemblies.. K1 Includes pos. 34,38 K2 Includes pos. 17,28 K4 Includes pos. 12,40 K10 Includes pos. 4,6,7,9,19,23,50 K11 Includes pos. 10,15,16,52 K13 Includes pos. 1,7,14,22,36,42,46 K15 Includes pos. 11,47 K16 Includes pos. 24,32,33,35,39,58 K22 Includes pos. 13,25,43,45,59 K23 Includes pos. 3,5,31,61 K25 Includes pos. 2,8,15,16,18,20,21,26,41 K26 Includes pos. 1,7,14,22,36,42


| Pos. | Artikel-Nr. | Menge | Variante                                 | Notes |
|------|-------------|-------|------------------------------------------|-------|
| 1    |             | 2     | WSH-FLT SAE 1/2                          | [1]   |
| 2    |             | 2     | SCR-PAN PHIL 10-24 X .75                 | [2]   |
| 3    |             | 3     | SCR-HEX 5/16-18 X .75                    | [3]   |
| 4    |             | 1     | SCR-HEX 3/8-16 X 1.75                    | [4]   |
| 5    |             | 3     | NUT, HEX NYL LOC 5/16-18                 | [5]   |
| 6    |             | 1     | NUT, HEX NYL LOC-THIN                    | [6]   |
| 7    |             | 3     | PIN, COTTER HAIR                         | [7]   |
| 8    |             | 2     | SCR-HEX SS                               | [8]   |
| 9    |             | 1     | PIN, COTTER HAIR .0915 X .375            | [9]   |
| 10   |             | 8     | SCR, HEX SS M6-1 X 12MM                  | [10]  |
| 11   |             | 7     | RIVET, NYLON TREE PUSH-IN (.25)          | [11]  |
| 12   |             | 2     | RING, RET EXT TYPE E 0.50 DIA            | [12]  |
| 13   |             | 2     | SCR-HEX LOC SS 5/16-18 X .88             | [13]  |
| 14   |             | 2     | SCR, HEX LOC M12-1.75 X 35MM             | [14]  |
| 15   |             | 9     | NUT, HEX NYL LOC SS M6-1                 | [15]  |
| 16   |             | 8     | SCR, HEX THD TO HD SS M6-1 X 20MM        | [16]  |
| 17   |             | 2     | KEY, SQUARE .25 X 1.44                   | [17]  |
| 18   |             | 4     | NUT, HEX JAM SS M12-1.75                 | [18]  |
| 19   |             | 1     | PIN, RING .50 X 1.63                     | [19]  |
| 20   |             | 1     | SCR, HEX THD TO HD SS M6-1 X 25MM        | [20]  |
| 21   |             | 1     | WSH-FLT SS .33 X 1.00 X .060             | [21]  |
| 22   |             | 2     | PIN, RING .500 X 1.18                    | [22]  |
| 23   |             | 1     | PIN- CLEVIS SS .375 X 2.50               | [23]  |
| 24   |             | 2     | SCR, PAN PHIL THD FORM 10-24 X .50       | [24]  |
| 25   |             | 2     | WSH, FLT HARDEN .344 X 1.000 X .120/.135 | [25]  |
| 26   |             | 4     | SCR, HEX THD TO HD M12-1.75 X 25MM       | [26]  |
| 27   | 56016163    | 1     | Aufkleber no-Step                        |       |
| 28   |             | 2     | SHAFT-HUB MOUNT                          | [27]  |
| 29   | 56114111    | 1     | RIGHT SKIRT ASSY-28-34D                  | [28]  |
| 30   | 56114116    | 1     | LEFT SKIRT ASSY-34D                      | [28]  |
| 31   |             | 1     | ROLLER BRKT WELDT-34                     | [29]  |
| 32   |             | 1     | CLAMP- HOSE SAE 12                       | [30]  |
| 33   |             | 1     | TEE, BARB 3/4 X 1/2 X 1/2                | [31]  |
| 34   |             | 2     | SCREW, GIMBAL MOUNT                      | [32]  |
| 35   |             | 2     | CLAMP-P                                  | [33]  |
| 36   |             | 2     | BUSHING                                  | [34]  |
| 37   | 56380149    | 4     | Rändelschraube                           |       |
| 38   |             | 2     | GIMBAL-COLLAR ASSEMBLY                   | [35]  |
| 39   |             | 2     | HOSE, SPIRAL .500                        | [36]  |
| 40   |             | 1     | WHEEL, ROLLER                            | [37]  |
| 41   |             | 1     | CLAMP, 1.25 HOSE SUPPORT                 | [38]  |
| 42   |             | 2     | BEARING, FLANGE                          | [39]  |
| 43   |             | 1     | TIE, CABLE                               | [40]  |
| 44   | 56601113    | 1     | Grundplatte                              |       |
| 45   |             | 2     | MOTOR GEARBOX ASSY (M7) (M9)             | [41]  |
| 45A  | 56601533    | 1     | MOTOVARIO GEARBOX                        |       |
| 45B  | 56601537    | 1     | BALL BEARING OUTPUT SIDE                 |       |
| 45C  | 56314580    | 1     | Kugellager                               |       |
| 45D  | 56601534    | 2     | CARBON BRUSH                             |       |
| 45E  | 56601508    | 1     | PLASTIC COVER                            |       |
| 45F  | 56601536    | 1     | MOTOR FAN                                |       |
| 45G  | 56601535    | 1     | Keil                                     |       |
| 46   |             | 1     | DECK LINKAGE, WELDT                      | [42]  |
| 47   |             | 1     | Blade Front 34 Gum                       | [43]  |
| 48   | 56601278    | 1     | SKIRT BRACKET FRONT 34                   |       |
| 49   | 56601289    | 2     | ROD UP STOP                              |       |
| 50   |             | 1     | YOKE, ACTUATOR                           | [44]  |
| 51   | 56601388    | 2     | Anschlag                                 |       |
| 52   |             | 2     | BRACKET, MOTOR                           | [45]  |

| Pos. | Artikel-Nr. | Menge | Variante                       | Notes |
|------|-------------|-------|--------------------------------|-------|
| 53   | 56114369    | 1     | LIFT ACTUATOR ASSEMBLY         |       |
| 53A  | 56009019    | 2     | Schraube 1/4-20x.38            |       |
| 53B  | 56009062    | 4     | Schraube                       |       |
| 53C  | 56114362    | 1     | ACTUATOR                       |       |
| 53D  | 56396268    | 1     | Führung f. Feder               |       |
| 53E  | 56412071    | 1     | Druckfeder                     |       |
| 53F  | 56412262    | 1     | Federgehäuse BA750/850         |       |
| 53G  | 56420019    | 1     | Mutter arretierung             |       |
| 53H  | 56420020    | 1     | Mutter arretierung             |       |
| 53J  | 56601470    | 1     | COMPRESSION SPRING             |       |
| 54   | 56601452    | 1     | BRUSH COVER                    |       |
| 55   | 56601502    | 2     | Befestigung f. Seitenschürze   |       |
| 56   | 56601578    | 4     | Drehknopf                      |       |
| 57   |             | 1     | PIN                            | [46]  |
| 58   |             | 1     | HOSE                           | [47]  |
| 59   |             | 2     | FERRITE BEAD                   | [48]  |
| 60   | 56601687    | 1     | FERRITE BEAD                   |       |
| 61   |             | 2     | BEARING, FLANGE                | [39]  |
| K1   | 56114281    | 2     | GIMBLE KIT                     | [49]  |
| K2   | 56114282    | 2     | SHAFT KIT-HUB MOUNT            | [50]  |
| K4   | 56114284    | 1     | ROLLER KIT-L/R                 | [51]  |
| K10  | 56114290    | 1     | HARDWARE KIT-ACTUATOR          | [52]  |
| K11  | 56114291    | 2     | HARDWARE KIT-MOTOR BRKT        | [53]  |
| K13  | 56114307    | 1     | LIFT KIT-DECK                  | [54]  |
| K15  | 56114396    | 1     | BLADE KIT-FRONT 34 GUM W/ FAST | [55]  |
| K16  | 56114311    | 1     | MANIFOLD KIT-SOLUTION 34       | [56]  |
| K22  | 56114324    | 2     | MOTOR KIT-BRUSH EU             | [57]  |
| K23  | 56114338    | 1     | ROLLER MOUNT KIT-RT 34D        | [58]  |
| K25  | 56114353    | 1     | HARDWARE KIT-34D SCRUB SYSTEM  | [59]  |
| K26  | 56344180    | 1     | HARDWARE KIT-DECK LINKAGE      | [60]  |

Part Notes:

- [1] - WSH-FLT SAE 1/2
- [2] - SCR-PAN PHIL 10-24 X .75
- [3] - SCR-HEX 5/16-18 X .75
- [4] - SCR-HEX 3/8-16 X 1.75
- [5] - NUT, HEX NYL LOC 5/16-18
- [6] - NUT, HEX NYL LOC-THIN
- [7] - PIN, COTTER HAIR
- [8] - SCR-HEX SS
- [9] - PIN, COTTER HAIR .0915 X .375
- [10] - SCR, HEX SS M6-1 X 12MM
- [11] - RIVET, NYLON TREE PUSH-IN (.25)
- [12] - RING, RET EXT TYPE E 0.50 DIA
- [13] - SCR-HEX LOC SS 5/16-18 X .88
- [14] - SCR, HEX LOC M12-1.75 X 35MM
- [15] - NUT, HEX NYL LOC SS M6-1
- [16] - SCR, HEX THD TO HD SS M6-1 X 20MM
- [17] - KEY, SQUARE .25 X 1.44
- [18] - NUT, HEX JAM SS M12-1.75
- [19] - PIN, RING .50 X 1.63
- [20] - SCR, HEX THD TO HD SS M6-1 X 25MM
- [21] - WSH-FLT SS .33 X 1.00 X .060
- [22] - PIN, RING .500 X 1.18
- [23] - PIN- CLEVIS SS .375 X 2.50
- [24] - SCR, PAN PHIL THD FORM 10-24 X .50
- [25] - WSH, FLT HARDEN .344 X 1.000 X .120/.135
- [26] - SCR, HEX THD TO HD M12-1.75 X 25MM
- [27] - SHAFT-HUB MOUNT

- 
- [28] - See Note 1
  - [29] - ROLLER BRKT WELDT-34
  - [30] - CLAMP- HOSE SAE 12
  - [31] - TEE, BARB 3/4 X 1/2 X 1/2
  - [32] - SCREW, GIMBAL MOUNT
  - [33] - CLAMP-P
  - [34] - BUSHING
  - [35] - GIMBAL-COLLAR ASSEMBLY
  - [36] - HOSE, SPIRAL .500
  - [37] - WHEEL, ROLLER
  - [38] - CLAMP, 1.25 HOSE SUPPORT
  - [39] - BEARING, FLANGE
  - [40] - TIE, CABLE
  - [41] - MOTOR GEARBOX ASSY (M7) (M9)
  - [42] - DECK LINKAGE, WELDT
  - [43] - Blade Front 34 Gum
  - [44] - YOKE, ACTUATOR
  - [45] - BRACKET, MOTOR
  - [46] - PIN
  - [47] - HOSE
  - [48] - FERRITE BEAD
  - [49] - Includes pos. 34,38
  - [50] - Includes pos. 17,28
  - [51] - Includes pos. 12,40
  - [52] - Includes pos. 4,6,7,9,19,23,50
  - [53] - Includes pos. 10,15,16,52
  - [54] - Includes pos. 1,4,14,22,36,42,46
  - [55] - Includes pos. 11,47
  - [56] - Includes pos. 24,32,33,35,39,58
  - [57] - Includes pos. 13,25,43,45,59
  - [58] - Includes pos. 3,5,31
  - [59] - Includes pos. 2,8,15,16,18,20,21,26,41
  - [60] - Includes pos. 1,7,14,22,36,42



## Resource notes:

NOTE 1: See Scrub System-100 Disk Skirt Assemblies K1 Includes pos. 5,6,72 K2 Includes pos. 21,31 K3 Includes pos. 2,5,43,44,45,46,54,71 K4 Includes pos. 14,67 K5 Includes pos. 3,38 K6 Includes pos. 3,39 K7 Includes pos. 13,58 K8 Includes pos. 1,7,20,25,35,52,53,61 K9 Includes pos. 15,28,63 K10 Includes pos. 4,6,7,11,24,26,64 K11 Includes pos. 12,17,18,49 K26 Includes pos. 1,7,16,25,53,61



| Pos. | Artikel-Nr. | Menge | Variante                                 | Notes |
|------|-------------|-------|------------------------------------------|-------|
| 1    |             | 2     | WSH-FLT SAE 1/2                          | [1]   |
| 2    |             | 4     | SCR-PAN PHIL 10-24 X 1.75                | [2]   |
| 4    |             | 1     | SCR-HEX 3/8-16 X 1.75                    | [3]   |
| 5    |             | 4     | NUT, HEX NYL LOC 10-24                   | [4]   |
| 6    |             | 1     | NUT, HEX NYL LOC-THIN 3/8-16             | [5]   |
| 7    |             | 3     | PIN, COTTER HAIR                         | [6]   |
| 8    | 56003012    | 2     | SCR HEX HD SS 5/16-18 XO.                |       |
| 9    | 56003031    | 4     | SCR HEX BOLT 3/8-16x2                    |       |
| 10   | 56003079    | 12    | SCR HEX HD LOC 3/8-16X1                  |       |
| 11   |             | 1     | PIN, COTTER HAIR .0915 X .375            | [7]   |
| 12   |             | 12    | SCR, HEX SS M6-1 X 12MM                  | [8]   |
| 13   |             | 14    | RIVET, NYLON TREE PUSH-IN (.25)          | [9]   |
| 14   |             | 4     | RING, RET EXT TYPE E 0.50 DIA            | [10]  |
| 15   |             | 3     | SCR-HEX LOC SS 5/16-18 X .88             | [11]  |
| 16   |             | 2     | SCR, HEX LOC M12-1.75 X 35MM             | [12]  |
| 17   |             | 17    | NUT, HEX NYL LOC SS M6-1                 | [13]  |
| 18   |             | 13    | SCR, HEX SS M6-1 X 16MM                  | [14]  |
| 19   | 56003443    | 4     | Schraube PAN M6-1,00x20                  |       |
| 20   |             | 1     | PIN-CLEVIS .50 X 1.25                    | [15]  |
| 21   |             | 3     | KEY, SQUARE .25 X 1.44                   | [16]  |
| 22   | 56003657    | 4     | Mutter M12-1.75                          |       |
| 23   | 56003658    | 4     | Schraube                                 |       |
| 24   |             | 1     | PIN, RING .50 X 1.63                     | [17]  |
| 25   |             | 1     | PIN, RING .500 X 1.18                    | [18]  |
| 26   |             | 1     | PIN- CLEVIS SS .375 X 2.50               | [19]  |
| 27   | 56009029    | 1     | SCR PANPHIL THD FORM10-24                |       |
| 28   |             | 3     | WSH, FLT HARDEN .344 X 1.000 X .120/.135 | [20]  |
| 29   | 56009086    | 4     | NUT, HEX JAM 5/16-18                     |       |
| 30   | 56053884    | 1     | TUBE VINYL E00603                        |       |
| 31   |             | 3     | SHAFT-HUB MOUNT                          | [21]  |
| 32   | 56114076    | 1     | DECK WELDT                               |       |
| 33   | 56114104    | 1     | LEFT SKIRT ASSY-40D                      | [22]  |
| 34   | 56114105    | 1     | RIGHT SKIRT ASSY-40D                     | [22]  |
| 35   |             | 1     | DECK LIFT WELDT                          | [23]  |
| 36   | 56114153    | 1     | PLATE                                    |       |
| 37   | 56114160    | 1     | WEIGHT-DECK                              |       |
| 38   |             | 1     | ROLLER BRACKET-RIGHT                     | [24]  |
| 39   |             | 1     | ROLLER BRACKET-LEFT                      | [25]  |
| 40   | 56114337    | 1     | SUPPORT WELDMENT                         |       |
| 41   | 56249682    | 1     | SCHLAUCH                                 |       |
| 42   | 56261265    | 1     | Plastikrohr                              |       |
| 43   |             | 1     | PLUG, HEX PIPE                           | [26]  |
| 44   |             | 1     | HOSE, SPIRAL .500                        | [27]  |
| 45   |             | 1     | HOSE, SPIRAL .375                        | [28]  |
| 46   |             | 2     | PLATE                                    | [29]  |
| 47   | 56314261    | 2     | Haltewinkel                              | [30]  |
| 48   |             | 1     | MANIFOLD, SOLUTION                       | [31]  |
| 49   |             | 3     | BRACKET, MOTOR                           | [32]  |
| 50   | 56314902    | 2     | Schutz für Motor                         | [33]  |
| 51   | 56315625    | 1     | Verbindungsstück                         |       |
| 52   |             | 2     | BUSHING .50 X .62 X .27                  | [34]  |
| 53   |             | 2     | BUSHING                                  | [35]  |
| 54   |             | 1     | BARB, ADAPTER 1/2 X 1/4NPT               | [36]  |
| 55   | 56380149    | 4     | Rändelschraube                           |       |
| 56   |             | 3     | GIMBAL-COLLAR ASSEMBLY                   | [37]  |
| 57   | 56385564    | 1     | Klemme                                   |       |
| 58   |             | 1     | Blade Front 40 Gum                       | [38]  |
| 59   | 56401783    | 2     | Anschlagschraube BR 700S                 |       |
| 60   |             | 2     | WHEEL, ROLLER                            | [39]  |

| Pos. | Artikel-Nr. | Menge | Variante                          | Notes |
|------|-------------|-------|-----------------------------------|-------|
| 61   |             | 2     | BEARING, FLANGE                   | [40]  |
| 62   | 56478246    | 3     | CABLE TIE E00549 RE438BA          |       |
| 63   |             | 3     | MOTOR GEARBOX ASSY (M7) (M8) (M9) | [41]  |
| 63A  | 56601533    | 1     | MOTOVARIO GEARBOX                 |       |
| 63B  | 56601537    | 1     | BALL BEARING OUTPUT SIDE          |       |
| 63C  | 56314580    | 1     | Kugellager                        |       |
| 63D  | 56601534    | 2     | CARBON BRUSH                      |       |
| 63E  | 56601508    | 1     | PLASTIC COVER                     |       |
| 63F  | 56601536    | 1     | MOTOR FAN                         |       |
| 63G  | 56601535    | 1     | Keil                              |       |
| 64   |             | 1     | YOKE, ACTUATOR                    | [42]  |
| 65   | 56114369    | 1     | LIFT ACTUATOR ASSEMBLY            |       |
| 65A  | 56009019    | 2     | Schraube 1/4-20x.38               |       |
| 65B  | 56009062    | 4     | Schraube                          |       |
| 65C  | 56114362    | 1     | ACTUATOR                          |       |
| 65D  | 56396268    | 1     | Führung f. Feder                  |       |
| 65E  | 56412071    | 1     | Druckfeder                        |       |
| 65F  | 56412262    | 1     | Federgehäuse BA750/850            |       |
| 65G  | 56420019    | 1     | Mutter arretierung                |       |
| 65H  | 56420020    | 1     | Mutter arretierung                |       |
| 65J  | 56601470    | 1     | COMPRESSION SPRING                |       |
| 66   | 56601578    | 4     | Drehknopf                         |       |
| 67   |             | 2     | PIN                               | [43]  |
| 68   | 56601686    | 3     | FERRITE BEAD                      |       |
| 69   | 56601687    | 1     | FERRITE BEAD                      |       |
| 70   | 56635530    | 1     | TUBE VINYL 16.00L E00603          |       |
| 71   |             | 4     | BARB, ADAPTER 3/8 X 1/4NPT        | [44]  |
| 72   |             | 3     | SCREW, GIMBAL MOUNT               | [45]  |
| 73   | 56244969    | 1     | Schlauch-Bride                    |       |
| 74   | 56009019    | 1     | Schraube 1/4-20x.38               |       |
|      | 56114379    | 1     | BRUSH INSTALLATION TOOL           | [46]  |
| K1   | 56114281    | 3     | GIMBLE KIT                        | [47]  |
| K2   | 56114282    | 3     | SHAFT KIT-HUB MOUNT               | [48]  |
| K3   | 56114283    | 1     | MANIFOLD KIT-SOLUTION 40          | [49]  |
| K4   | 56114284    | 2     | ROLLER KIT-L/R                    | [50]  |
| K5   | 56114285    | 1     | ROLLER MOUNT KIT-RT 40            | [51]  |
| K6   | 56114286    | 1     | ROLLER MOUNT KIT-LT 40            | [52]  |
| K7   | 56114287    | 1     | BLADE KIT-FRONT 40                | [53]  |
| K8   | 56114288    | 1     | LIFT KIT-DECK 40                  | [54]  |
| K9   | 56114289    | 3     | MOTOR KIT-BRUSH                   | [55]  |
| K10  | 56114290    | 1     | HARDWARE KIT-ACTUATOR             | [56]  |
| K11  | 56114291    | 3     | HARDWARE KIT-MOTOR BRKT           | [57]  |
| K26  | 56344180    | 1     | HARDWARE KIT-DECK LINKAGE         | [58]  |

## Part Notes:

- [1] - WSH-FLT SAE 1/2
- [2] - SCR-PAN PHIL 10-24 X 1.75
- [3] - SCR-HEX 3/8-16 X 1.75
- [4] - NUT, HEX NYL LOC 10-24
- [5] - NUT, HEX NYL LOC-THIN 3/8-16
- [6] - PIN, COTTER HAIR
- [7] - PIN, COTTER HAIR .0915 X .375
- [8] - SCR, HEX SS M6-1 X 12MM
- [9] - RIVET, NYLON TREE PUSH-IN (.25)
- [10] - RING, RET EXT TYPE E 0.50 DIA
- [11] - SCR-HEX LOC SS 5/16-18 X .88
- [12] - SCR, HEX LOC M12-1.75 X 35MM
- [13] - NUT, HEX NYL LOC SS M6-1
- [14] - SCR, HEX SS M6-1 X 16MM

- 
- [15] - PIN-CLEVIS .50 X 1.25
  - [16] - KEY, SQUARE .25 X 1.44
  - [17] - PIN, RING .50 X 1.63
  - [18] - PIN, RING .500 X 1.18
  - [19] - PIN- CLEVIS SS .375 X 2.50
  - [20] - WSH, FLT HARDEN .344 X 1.000 X .120/.135
  - [21] - SHAFT-HUB MOUNT
  - [22] - NOTE 1
  - [23] - DECK LIFT WELDT
  - [24] - ROLLER BRACKET-RIGHT
  - [25] - ROLLER BRACKET-LEFT
  - [26] - PLUG, HEX PIPE
  - [27] - HOSE, SPIRAL .500
  - [28] - HOSE, SPIRAL .375
  - [29] - PLATE
  - [30] - EXPIRED USE 56316679
  - [31] - MANIFOLD, SOLUTION
  - [32] - BRACKET, MOTOR
  - [33] - EXPIRED USE 56316684
  - [34] - BUSHING .50 X .62 X .27
  - [35] - BUSHING
  - [36] - BARB, ADAPTER 1/2 X 1/4NPT
  - [37] - GIMBAL-COLLAR ASSEMBLY
  - [38] - Blade Front 40 Gum
  - [39] - WHEEL, ROLLER
  - [40] - BEARING, FLANGE
  - [41] - MOTOR GEARBOX ASSY (M7) (M8) (M9)
  - [42] - YOKE, ACTUATOR
  - [43] - PIN
  - [44] - BARB, ADAPTER 3/8 X 1/4NPT
  - [45] - SCREW, GIMBAL MOUNT
  - [46] - Not shown
  - [47] - Includes pos. 5,6,72
  - [48] - Includes pos. 21,31
  - [49] - Includes pos. 2,5,43,44,45,46,54,71
  - [50] - Includes pos. 14,67
  - [51] - Includes pos. 10,38
  - [52] - Includes pos. 10,39
  - [53] - Includes pos. 13,58
  - [54] - Includes pos. 1,7,20,25,35,52,53,61
  - [55] - Includes pos. 15,28,63
  - [56] - Includes pos. 4,6,7,11,24,26,64
  - [57] - Includes pos. 12,17,18,49
  - [58] - Includes pos. 1,7,16,25,53,61
-




## Resource notes:

NOTE 1: Hardware Kit includes hardware for both left and right side skirts (one per machine). K1 Includes pos. 1,2,6,7 K2 Includes pos. 5,10

| Pos. | Artikel-Nr. | Menge | Variante                          | Notes |
|------|-------------|-------|-----------------------------------|-------|
|      | 56114120    | 1     | LT SKIRT ASSY-28C                 |       |
| 1    |             | 7     | NUT, HEX NYL LOC SS M6-1          | [1]   |
| 2    |             | 7     | SCR, HEX THD TO HD SS M6-1 X 20MM | [2]   |
| 3    | 56114122    | 1     | LT SKIRT BKT WELDT-28C            |       |
| 4    | 56114188    | 1     | STRAP-SKIRT                       |       |
| 5    |             | 1     | BLADE, SIDE SKIRT                 | [3]   |
|      | 56114121    | 1     | RT SKIRT ASSY-28C                 |       |
| 6    |             | 7     | NUT, HEX NYL LOC SS M6-1          | [1]   |
| 7    |             | 7     | SCR, HEX THD TO HD SS M6-1 X 20MM | [2]   |
| 8    | 56114123    | 1     | RT SKIRT BKT WELDT-28C            |       |
| 9    | 56114191    | 1     | STRAP-SKIRT                       |       |
| 10   |             | 1     | BLADE, SIDE SKIRT                 | [4]   |
| K1   | 56114315    | 1     | HARDWARE KIT-CYL SIDE SKIRT       | [5]   |
| K2   | 56114370    | 1     | Seitenschürze                     | [6]   |
| OP   | 56114372    | 1     | Seitenschürze                     | [7]   |
| OP   | 56114374    | 1     | Seitenschürze                     | [7]   |

Part Notes:

- [1] - NUT, HEX NYL LOC SS M6-1
- [2] - SCR, HEX THD TO HD SS M6-1 X 20MM
- [3] - BLADE, SIDE SKIRT
- [4] - INCLUDED IN K2
- [5] - NOTE 1, Includes pos. 1,2,6,7
- [6] - NOTE 2, Includes pos. 5,10
- [7] - NOTE 2





## Resource notes:

NOTE 1: One Hardware Kit is required per skirt assembly (two per machine). NOTE 2: Blade Kits include both left and right side deck blades (one per machine). NOTE 3: The design of this part was changed after February 2013. If replacing this weldment on a machine built before March of 2013 you will also need to order items 5 and 6. NOTE 4: This part is only used on machines built after February 2013. Machines built before March 2013 used a single strap that ran across the entire length of the blade, the part number for that strap is 56114112. NOTE 5: The design of this part was changed after February 2013. If replacing this weldment on a machine built before March of 2013 you will also need to order items 11 and 12. NOTE 6: This part is only used on machines built after February 2013. Machines built before March 2013 used a single strap that ran across the entire length of the blade, the part number for that strap is 56114118. NOTE 7: The design of this part was changed after February 2013. If replacing this weldment on a machine built before March of 2013 you will also need to order items 17 and 18.

| Pos. | Artikel-Nr. | Menge | Variante                     | Notes |
|------|-------------|-------|------------------------------|-------|
|      | 56114110    | 1     | LEFT SKIRT ASSY-28D          | [1]   |
| 1    |             | 1     | Scr-Carriage SS 1/4-20 X .75 | [2]   |
| 2    |             | 9     | Nut- Wing Plastic Loc 1/4-20 | [3]   |
| 3    | 56114114    | 1     | SKIRT BKT WELDT-LT-28D       | [4]   |
| 4    |             | 1     | Blade-Skirt-28dD34D-Gum      | [5]   |
| 5    | 56114384    | 1     | STRAP FRONT 28D 34D          | [6]   |
| 6    | 56114386    | 1     | STRAP REAR 28D 34D           | [6]   |
|      | 56114116    | 1     | LEFT SKIRT ASSY-34D          | [7]   |
| 7    |             | 1     | Scr-Carriage SS 1/4-20 X .75 | [2]   |
| 8    |             | 9     | Nut- Wing Plastic Loc 1/4-20 | [3]   |
| 9    | 56114117    | 9     | SKIRT BKT-LT-34D WELDT       | [8]   |
| 10   |             | 1     | Blade-Skirt-28D34D-Gum       | [9]   |
| 11   | 56114385    | 1     | STRAP FRONT 34D LT           | [10]  |
| 12   | 56114117    | 1     | SKIRT BKT-LT-34D WELDT       | [10]  |
| 13   |             | 8     | Scr-Carriage SS 1/4-20 X .75 | [2]   |
|      | 56114111    | 1     | RIGHT SKIRT ASSY-28-34D      | [11]  |
| 14   |             | 8     | Nut- Wing Plastic Loc 1/4-20 | [3]   |
| 15   | 56114115    | 1     | SKIRT BKT WELDT-RT-28-34D    | [12]  |
| 16   |             | 1     | NUT- WING PLASTIC LOC 1/4-20 |       |
| 17   | 56114384    | 1     | STRAP FRONT 28D 34D          | [6]   |
| 18   | 56114386    | 1     | STRAP REAR 28D 34D           | [6]   |
| K1   | 56114292    | 2     | HARDWARE KIT-SKIRT           | [13]  |
| K2   | 56114364    | 1     | Seitengummisatz, rot         | [14]  |
| OP   | 56114368    | 1     | Seitengummisatz, rot         | [15]  |
| OP   | 56114366    | 1     | Seitenschürze                | [15]  |

Part Notes:

- [1] - (R 6 71) (items 1-6)
- [2] - Scr-Carriage SS 1/4-20 X .75
- [3] - Nut- Wing Plastic Loc 1/4-20
- [4] - NOTE 3
- [5] - Blade-Skirt-28dD34D-Gum
- [6] - NOTE 4
- [7] - (R 6 71, 86) (items 7-12)
- [8] - NOTE 5
- [9] - Blade-Skirt-28D34D-Gum
- [10] - NOTE 6
- [11] - (R 6 86) (items 13-18)
- [12] - NOTE 7
- [13] - NOTE 1, Includes pos. 1,2,4,8,9,11,15,16,18
- [14] - NOTE 2, Includes pos. 7,14,21
- [15] - NOTE 2




## Resource notes:

NOTE 1: One Hardware Kit is required per skirt assembly (two per machine). NOTE 2: Blade Kits include both left and right side deck blades (one per machine). NOTE 3: The design of this part was changed after February 2013. If replacing this weldment on a machine built before March of 2013 you will also need to order items 5 and 6. NOTE 4: This part is only used on machines built after February 2013. Machines built before March 2013 used a single strap that ran across the entire length of the blade, the part number for that strap is 56114106. NOTE 5: The design of this part was changed after February 2013. If replacing this weldment on a machine built before March of 2013 you will also need to order items 12 and 13. NOTE 6: This part is only used on machines built after February 2013. Machines built before March 2013 used a single strap that ran across the entire length of the blade, the part number for that strap is 56114134.

| Pos. | Artikel-Nr. | Menge | Variante                     | Notes |
|------|-------------|-------|------------------------------|-------|
|      | 56114104    | 1     | LEFT SKIRT ASSY-40D          | [1]   |
| 1    |             | 7     | SCR-CARRIAGE SS 1/4-20 X .75 | [2]   |
| 2    |             | 7     | NUT- WING PLASTIC LOC 1/4-20 | [3]   |
| 3    | 56114107    | 1     | SKIRT BKT-LT-40D WELDT       | [4]   |
| 4    | 56114106    | 1     | STRAP-SKIRT                  | [5]   |
| 5    | 56114388    | 1     | STRAP FRONT 40D              | [6]   |
| 6    | 56114389    | 1     | Halteband Hinten 40D         | [6]   |
|      | 56114105    | 1     | RIGHT SKIRT ASSY-40D         | [7]   |
| 7    |             | 7     | Scr-Carriage SS 1/4-20 X .75 | [2]   |
| 8    |             | 7     | Nut- Wing Plastic Loc 1/4-20 | [3]   |
| 9    | 56016163    | 1     | Aufkleber no-Step            |       |
| 10   | 56114108    | 1     | SKIRT BKT-RT-40D WELDT       | [8]   |
| 11   |             | 1     | Blade-Skirt Gum              | [9]   |
| 12   | 56114388    | 1     | STRAP FRONT 40D              | [10]  |
| 13   | 56114389    | 1     | Halteband Hinten 40D         | [10]  |
| K1   | 56114292    | 2     | HARDWARE KIT-SKIRT           | [11]  |
| K2   | 56114355    | 1     | Seitenschürze                | [12]  |
| OP   | 56114358    | 1     | Seitenschürze                | [13]  |
| OP   | 56114356    | 1     | Seitenschürze                | [13]  |

## Part Notes:

- [1] - (R 6 100) (ITEMS 1-6)
- [2] - SCR-CARRIAGE SS 1/4-20 X .75
- [3] - NUT- WING PLASTIC LOC 1/4-20
- [4] - WSH, FLT SS .260 X 1.000 X .074
- [5] - NOTE 3  
USE 56114388 AND 56114389
- [6] - NOTE 4
- [7] - (R 6 100) (items 7-13)
- [8] - NOTE 5
- [9] - Blade-Skirt Gum
- [10] - NOTE 6
- [11] - NOTE 1, Includes pos. 1,2,3,7,8,9
- [12] - NOTE 2, Includes pos. 6,12
- [13] - NOTE 2




## Resource notes:

K1 Includes pos. 1,3,12,13,14,15,24 K2 Includes pos. 4,5,12,16,17,18,21,23,26 K3 Includes pos. 6,7,10 K4 Includes pos. 2,3

| Pos. | Artikel-Nr. | Menge | Variante                          | Notes |
|------|-------------|-------|-----------------------------------|-------|
| 1    |             | 1     | BARB                              | [1]   |
| 2    |             | 2     | WSH, FLT SAE 10                   | [2]   |
| 3    |             | 4     | SCR-PAN PHIL 10-24 X .50          | [3]   |
| 4    |             | 4     | SCR-PAN PHIL 1/4-20 X .62         | [4]   |
| 5    |             | 1     | RUBBER TIP-BLACK                  | [5]   |
| 6    |             | 1     | GROMMET                           | [6]   |
| 7    |             | 1     | HOSEBARB .25 X .50                | [7]   |
| 8    | 56114050    | 1     | TANK-SOLUTION                     |       |
| 9    | 56114181    | 1     | COVER-ELECTRICAL                  |       |
| 10   |             | 1     | TUBE-PVC .38 X .50 X 26.00        | [8]   |
| 11   | 56114252    | 2     | GASKET-.25 X .50 X 11             |       |
| 12   |             | 4     | CLAMP- HOSE SAE 12                | [9]   |
| 13   |             | 1     | CAP, PIPE GHT NYLON               | [10]  |
| 14   |             | 1     | HOSE 17                           | [11]  |
| 15   |             | 1     | BARB ELBOW                        | [12]  |
| 16   | 56315296    | 1     | Frischwasserfilter                |       |
| 17   |             | 1     | BALL VALVE                        | [13]  |
| 18   |             | 2     | NIPPLE, HEX 3/4-14                | [14]  |
| 19   | 56412263    | 1     | Abdeckung f. Welle                |       |
| 20   | 56601064    | 1     | SOLENOID VALVE ASSEMBLY           |       |
| 21   |             | 2     | CLAMP-HOSE (DOUBLE) 1/2 O.D.      | [15]  |
| 22   | 56601213    | 1     | Batteriebox                       |       |
| 23   |             | 1     | TEE, SPECIAL, 3/4 X 3/16 X 1/2NPT | [16]  |
| 24   |             | 2     | HOSE CLIP                         | [17]  |
| 25   | 56601599    | 1     | Schraubverschluß                  |       |
| 26   |             | 1     | HOSE, SOLUTION (FLEX)             | [18]  |
| 27   | 56003585    | 1     | WSH FLT .282 X .875 X .036        |       |
| 28   | 56409463    | 1     | Clamp, 1.25 Hose support          |       |
| K1   | 56114275    | 1     | HOSE KIT-DRAIN                    | [19]  |
| K2   | 56114276    | 1     | VALVE AND FILTER KIT              | [20]  |
| K3   | 56114277    | 1     | SIGHT GAUGE KIT                   | [21]  |
| K4   | 56114349    | 1     | HARDWARE KIT-ELEC COVER           | [22]  |

## Part Notes:

- [1] - BARB
- [2] - WSH, FLT SAE 10
- [3] - SCR-PAN PHIL 10-24 X .50
- [4] - SCR-PAN PHIL 1/4-20 X .62
- [5] - RUBBER TIP-BLACK
- [6] - GROMMET
- [7] - HOSEBARB .25 X .50
- [8] - TUBE-PVC .38 X .50 X 26.00
- [9] - CLAMP- HOSE SAE 12
- [10] - CAP, PIPE GHT NYLON
- [11] - HOSE 17
- [12] - BARB ELBOW
- [13] - BALL VALVE
- [14] - NIPPLE, HEX 3/4-14
- [15] - CLAMP-HOSE (DOUBLE) 1/2 O.D.
- [16] - TEE, SPECIAL, 3/4 X 3/16 X 1/2NPT
- [17] - HOSE CLIP
- [18] - HOSE, SOLUTION (FLEX)
- [19] - Includes pos. 1,3,12,13,14,15,24
- [20] - Includes pos. 4,5,12,16,17,18,21,23,26
- [21] - Includes pos. 6,7,10
- [22] - Includes pos. 2,3



Resource notes:

K1 Includes pos. 11,12,28,30,32,34 K3 Includes pos. 29 K4 Includes pos. 2,3,4,5,7,10,11,13,14,16,17,19,21,23,27

| Pos. | Artikel-Nr. | Menge | Variante                                                   | Notes |
|------|-------------|-------|------------------------------------------------------------|-------|
| 1    | 56453691    | 1     | SPACER                                                     |       |
| 2    |             | 1     | NUT, HEX NYL LOC SS 1/4-20                                 | [1]   |
| 3    |             | 1     | NUT, HEX NYL LOC SS 5/16-18                                | [2]   |
| 4    |             | 1     | SCR- HEX SS 1/4-20 X 1.00                                  | [3]   |
| 5    |             | 2     | SCR- HEX SS 3/8-16 X 1.00                                  | [4]   |
| 6    | 56002910    | 2     | "Scheibe 3/8""                                             |       |
| 7    |             | 2     | WSH-FLT SAE SS 5/16                                        | [5]   |
| 8    | 56002951    | 2     | NUT HEX NYL LOC 3/8-24                                     |       |
| 9    | 56601512    | 2     | Schlauch                                                   |       |
| 10   |             | 2     | NUT, HEX NYL LOC SS 3/8-16                                 | [6]   |
| 11   |             | 4     | PIN, COTTER HAIR                                           | [7]   |
| 12   |             | 2     | RING, RET EXT TYPE E 0.38 DIA                              | [8]   |
| 13   |             | 1     | RING, RET EXT TYPE E 0.50 DIA                              | [9]   |
| 14   |             | 1     | SCR-HEX THD TO HD SS 5/16-18 X 4.00                        | [10]  |
| 15   |             | 3     | PIN-CLEVIS .375 X 2.25                                     | [11]  |
| 16   |             | 2     | WSH-FLT SS .33 X 1.00 X.060                                | [12]  |
| 17   |             | 2     | PIN-CLEVIS .38 X 3.75                                      | [13]  |
| 18   | 56009103    | 2     | Stopmutter 3/8-24                                          |       |
| 19   |             | 1     | NUT-HEX JAM SS 5/16-18                                     | [14]  |
| 20   | 56601469    | 2     | Endstück                                                   |       |
| 21   |             | 6     | BEARING, FLANGE                                            | [15]  |
| 22   | 56381818    | 1     | Buchse f. Segment                                          |       |
| 23   |             | 1     | WASHER, POLYURETHANE                                       | [16]  |
| 24   | 56382636    | 1     | BRACKET-SQUEEGEE PIVOT WELDT                               | [17]  |
| 25   | 56601460    | 2     | Gestänge                                                   |       |
| 26   | 56390849    | 1     | Befestigungsschne f.                                       | [18]  |
| 27   |             | 1     | KNOB                                                       | [19]  |
| 28   |             | 1     | PIN                                                        | [20]  |
| 29   |             | 2     | WHEEL                                                      | [21]  |
| 30   |             | 1     | ROLLER                                                     | [22]  |
| 31   | 56412216    | 2     | Zugfeder                                                   |       |
| 32   |             | 2     | SPACER, SQUEEGEE CABLE                                     | [23]  |
| 33   | 56601147    | 1     | ACTUATOR MOTOR 24V                                         |       |
| 34   |             | 1     | CABLE ASSEMBLY                                             | [24]  |
| 35   | 56601442    | 1     | Spindel                                                    |       |
| 36   |             | 1     | SQUEEGEE ASSEMBLY (SEE APPROPRIATE SQUEEGEE ASSEMBLY PAGE) | [25]  |
| K1   | 56114319    | 1     | CABLE KIT-SQUEEGEE                                         | [26]  |
| K3   | 56114321    | 1     | ROLLER KIT-SQUEEGEE                                        | [27]  |
| K4   | 56114354    | 1     | HARDWARE KIT-SQUEEGEE BRACKET                              | [28]  |


## Part Notes:

- [1] - NUT, HEX NYL LOC SS 1/4-20
- [2] - NUT, HEX NYL LOC SS 5/16-18
- [3] - SCR- HEX SS 1/4-20 X 1.00
- [4] - SCR- HEX SS 3/8-16 X 1.00
- [5] - WSH-FLT SAE SS 5/16
- [6] - NUT, HEX NYL LOC SS 3/8-16
- [7] - PIN, COTTER HAIR
- [8] - RING, RET EXT TYPE E 0.38 DIA
- [9] - RING, RET EXT TYPE E 0.50 DIA
- [10] - SCR-HEX THD TO HD SS 5/16-18 X 4.00
- [11] - PIN-CLEVIS .375 X 2.25
- [12] - WSH-FLT SS .33 X 1.00 X.060
- [13] - PIN-CLEVIS .38 X 3.75
- [14] - NUT-HEX JAM SS 5/16-18
- [15] - BEARING, FLANGE
- [16] - WASHER, POLYURETHANE
- [17] - EXPIRED USE 56316667

- [18] - EXPIRED USE 56316668
- [19] - KNOB
- [20] - PIN
- [21] - WHEEL
- [22] - ROLLER
- [23] - SPACER, SQUEEGEE CABLE
- [24] - CABLE ASSEMBLY
- [25] - SQUEEGEE ASSEMBLY (SEE APPROPRIATE SQUEEGEE ASSEMBLY PAGE)
- [26] - Includes pos. 11,12,28,30,32,34
- [27] - Includes pos. 29
- [28] - Includes pos. 2,3,4,5,7,10,11,13,14,16,17,19,21,23,27

---

**Comments:**




## Resource notes:

NOTE 1: All squeegee blade kits include both front and rear squeegee blades. NOTE 2: The squeegee casting is not available for sale separately. If you need to replace your squeegee casting please order a new Squeegee Assembly part number 56601449.

| Pos. | Artikel-Nr. | Menge | Variante                         | Notes |
|------|-------------|-------|----------------------------------|-------|
| 00   | 56601449    | 1     | Absaugleiste Kompl.              | [1]   |
| 1    | 56002851    | 2     | Mutter NYL LOC-THIN SS5/         |       |
| 2    | 56002938    | 2     | WSH FLT SAE SS 5/16              |       |
| 3    | 56003302    | 3     | Schraube 5/16-18                 |       |
| 4    | 56003792    | 1     | Schraube                         |       |
| 5    | 56009141    | 1     | Mutter HEX JAM SS 5/16-18        |       |
| 6    | 56111444    | 2     | Deckel f. Rad                    |       |
| 7    | 56370711    | 2     | Mutter                           |       |
| 8    | 56382734    | 1     | BLADE KIT-SQUEEGEE-GUM 28        | [2]   |
| 9    |             | 1     | Squeegee-Casting 28 Inch, NOTE 2 | [3]   |
| 10   | 56382697    | 1     | CLAMP-BAND 28 IN ASSY            |       |
| 11   | 56601499    | 2     | Buchse                           |       |
| 12   | 56601450    | 2     | Rad 4,00 Od                      |       |
| 13   | 56601489    | 1     | Befestigungsschiene              |       |
| OP   | 56382737    | 1     | Saugleistenkit PU 71cm           | [2]   |
| OP   | 56382735    | 1     | Gummileistenkit, rot 28          | [2]   |

## Part Notes:

- [1] - (Includes Gum Rubber Blades)
- [2] - NOTE 1
- [3] - Squeegee-Casting 28 Inch, NOTE 2




## Resource notes:

NOTE 1: All squeegee blade kits include both front and rear squeegee blades. NOTE 2: The squeegee casting is not available for sale separately. If you need to replace your squeegee casting please order a new Squeegee Assembly part number 56601454.

| Pos. | Artikel-Nr. | Menge | Variante                        | Notes |
|------|-------------|-------|---------------------------------|-------|
| 00   | 56601454    | 1     | Absaugleiste                    | [1]   |
| 1    | 56002851    | 2     | Mutter NYL LOC-THIN SS5/        |       |
| 2    | 56002938    | 2     | WSH FLT SAE SS 5/16             |       |
| 3    | 56003302    | 3     | Schraube 5/16-18                |       |
| 4    | 56003792    | 1     | Schraube                        |       |
| 5    | 56009141    | 1     | Mutter HEX JAM SS 5/16-18       |       |
| 6    | 56111444    | 2     | Deckel f. Rad                   |       |
| 7    | 56370711    | 2     | Mutter                          |       |
| 8    | 56382738    | 1     | Sauglippenkit 34"               | [2]   |
| 9    |             | 1     | Squeegee-Casting 34 Inch NOTE 2 | [3]   |
| 10   | 56382698    | 1     | CLAMP-BAND 34 IN ASSY           |       |
| 11   | 56601499    | 2     | Buchse                          |       |
| 12   | 56601450    | 2     | Rad 4,00 Od                     |       |
| 13   | 56601495    | 1     | Befestigung Vorne D             |       |
| OP   | 56382740    | 1     | BLADE KIT-SQUEEGEE-PU 34        | [2]   |
| OP   | 56382739    | 1     | Gummilippenkit rot              | [2]   |

## Part Notes:

- [1] - (Includes Gum Rubber Blades)
- [2] - NOTE 1
- [3] - Squeegee-Casting 34 Inch NOTE 2



## Resource notes:


NOTE 1: All squeegee blade kits include both front and rear squeegee blades. NOTE 2: The squeegee casting is not available for sale separately. If you need to replace your squeegee casting please order a new Squeegee Assembly part number 56390784.

| Pos. | Artikel-Nr. | Menge | Variante                      | Notes |
|------|-------------|-------|-------------------------------|-------|
| 00   | 56390784    | 1     | SQUEEGEE ASSY 38 GUM          | [1]   |
| 1    | 56002851    | 2     | Mutter NYL LOC-THIN SS5/      |       |
| 2    | 56002938    | 2     | WSH FLT SAE SS 5/16           |       |
| 3    | 56003302    | 3     | Schraube 5/16-18              |       |
| 4    | 56003792    | 1     | Schraube                      |       |
| 5    | 56009141    | 1     | Mutter HEX JAM SS 5/16-18     |       |
| 6    | 56111444    | 2     | Deckel f. Rad                 |       |
| 7    | 56370711    | 2     | Mutter                        |       |
| 8    | 56382741    | 1     | Gummilippenkit 38             | [2]   |
| 9    |             | 1     | Squeegee-Casting 38 In NOTE 2 | [3]   |
| 10   | 56382699    | 1     | CLAMP-BAND 38 IN ASSY         |       |
| 11   | 56601499    | 2     | Buchse                        |       |
| 12   | 56390824    | 1     | Befestigung Vorne E           |       |
| 13   | 56601450    | 2     | Rad 4,00 Od                   |       |
| OP   | 56382743    | 1     | Sauglippen PU                 | [2]   |
| OP   | 56382742    | 1     | BLADE KIT-SQUEEGEE-RED GUM 38 | [2]   |

## Part Notes:

- [1] - (Includes Gum Rubber Blades)
- [2] - NOTE 1
- [3] - Squeegee-Casting 38 In NOTE 2

## LADDER DIAGRAM-1




| Pos. | Artikel-Nr. | Menge | Variante                    | Notes |
|------|-------------|-------|-----------------------------|-------|
| 00   | 56114378    | 1     | BATTERY CHARGER 24V 25A     |       |
| A1   | 56114299    | 1     | USER INTERFACE PANEL KIT    |       |
| A2   | 56114234    | 1     | SPEED CONTROLLER            |       |
| BT1  |             | 1     | Battery                     | [1]   |
| CB1  | 56454429    | 1     | CIRCUIT BREAKER 70A         | [2]   |
| CB2  | 56507644    | 1     | CIRCUIT BREAKER 10 AMP      | [3]   |
| F1   | 56114294    | 1     | STANDOFF AND BREAKER KIT    |       |
| K1   | 56601183    | 1     | CONTACTOR 24V 100 AMP       |       |
| K2   | 56412179    | 1     | CONTACTOR 24 VDC            |       |
| L1   | 56601064    | 1     | SOLENOID VALVE ASSEMBLY     |       |
| LP1  | 56114262    | 1     | BEACON-WARNING              | [4]   |
| M1   | 56601050    | 1     | MOTOR DRIVE WHEEL           |       |
| R1   |             | 1     | Part of Foot Pedal 56114155 | [5]   |
| S1   | 56303526    | 1     | Schlüssel,                  | [6]   |
| S1   | 56303553    | 1     | KEY SWITCH ASSEMBLY         |       |
| S2   | 7-82-00050  | 1     | Sitzschalter BR 1300 S      |       |
| S4   | 56114293    | 1     | ESTOP KIT                   | [7]   |
| Y1   | 56601507    | 1     | PARKING BRAKE               |       |

Part Notes:

- [1] - Battery
- [2] - Traverse
- [3] - Key Switch
- [4] - Optional
- [5] - Part of Foot Pedal 56114155
- [6] - Optional
- (for 56111109)
- [7] - E-stop kit


## LADDER DIAGRAM-2



| Pos. | Artikel-Nr. | Menge | Variante                                 | Notes |
|------|-------------|-------|------------------------------------------|-------|
| A1   | 56114299    | 1     | USER INTERFACE PANEL KIT                 |       |
| H1   | 56412177    | 1     | Horn RückfahralarmBR 1100S               |       |
| K1   | 56601183    | 1     | CONTACTOR 24V 100 AMP                    | [1]   |
| K2   | 56412179    | 1     | CONTACTOR 24 VDC                         | [2]   |
| M2   | 56315241    | 1     | EDS Pumpe                                | [3]   |
| M3   | 56601147    | 1     | ACTUATOR MOTOR 24V                       | [4]   |
| M4   | 56114362    | 1     | ACTUATOR                                 | [5]   |
| M5   | 56380529    | 1     | CARBON-BRUSH/SET OF 2                    | [6]   |
| M5   | 56114278    | 1     | VAC MOTOR KIT                            | [7]   |
| M6   | 56380529    | 1     | CARBON-BRUSH/SET OF 2                    | [6]   |
| M6   | 56114278    | 1     | VAC MOTOR KIT                            | [8]   |
| M7   | 56412287    | 1     | Kohlenbürstenset m. Federkompl. BA 755/8 | [9]   |
| M7   | 56601534    | 1     | CARBON BRUSH                             | [10]  |
| M7   | 56114324    | 1     | MOTOR KIT-BRUSH EU                       | [11]  |
| M7   | 56315061    | 1     | Motor 24V 5HP                            | [12]  |
| M8   | 56601534    | 1     | CARBON BRUSH                             | [10]  |
| M8   | 56114324    | 1     | MOTOR KIT-BRUSH EU                       | [13]  |
| M9   | 56412287    | 1     | Kohlenbürstenset m. Federkompl. BA 755/8 | [9]   |
| M9   | 56601534    | 1     | CARBON BRUSH                             | [10]  |
| M9   | 56114324    | 1     | MOTOR KIT-BRUSH EU                       | [14]  |
| M9   | 56315061    | 1     | Motor 24V 5HP                            | [12]  |
| S5   |             | 1     | Part of A1                               | [15]  |
| S6   |             | 1     | Part of A1                               | [15]  |

## Part Notes:


- [1] - (Vac)
- [2] - (Brush)
- [3] - (optional)
- [4] - (Squeegee Lift)
- [5] - (Deck Lift)
- [6] - (for Vac Motor)
- [7] - (Vac Motor Kit)
- [8] - (optional) (Vac Motor Kit)
- [9] - for 56315061)
- [10] - (for Disk Motor)
- [11] - (disk) (left) (Motor Kit)
- [12] - (cylindrical)
- [13] - disk) (center) (Motor Kit)
- [14] - (disk) (right) (Motor Kit)
- [15] - Part of A1



| Pos. | Artikel-Nr. | Menge | Variante                    | Notes |
|------|-------------|-------|-----------------------------|-------|
| A1   | 56114299    | 1     | USER INTERFACE PANEL KIT    |       |
| A2   | 56114234    | 1     | SPEED CONTROLLER            |       |
| BT1  |             |       | Battery                     |       |
| F1   | 56114294    | 1     | STANDOFF AND BREAKER KIT    |       |
| CB1  | 56454429    | 1     | CIRCUIT BREAKER 70A         |       |
| CB2  | 56507644    | 1     | CIRCUIT BREAKER 10 AMP      |       |
| K1   | 56601183    | 1     | CONTACTOR 24V 100 AMP       |       |
| K2   | 56412179    | 1     | CONTACTOR 24 VDC            |       |
| L1   | 56601064    | 1     | SOLENOID VALVE ASSEMBLY     |       |
| LP1  | 56114262    | 1     | BEACON-WARNING              |       |
| M1   | 56601050    | 1     | MOTOR DRIVE WHEEL           |       |
| R1   |             | 1     | Part of Foot Pedal 56114155 |       |
| S1   | 56303553    | 1     | KEY SWITCH ASSEMBLY         |       |
|      | 56303526    | A/R   | Schlüssel,                  | [1]   |
| S2   | 7-82-00050  | 1     | Sitzschalter BR 1300 S      |       |
| S4   | 56114293    | 1     | ESTOP KIT                   |       |
| Y1   | 56601507    | 1     | PARKING BRAKE               |       |
|      | 56114378    | 1     | BATTERY CHARGER 24V 25A     |       |

Part Notes:

[1] - (for 56111109)



| Pos. | Artikel-Nr. | Menge | Variante                    | Notes |
|------|-------------|-------|-----------------------------|-------|
| A1   | 56114299    | 1     | USER INTERFACE PANEL KIT    |       |
| A2   | 56114234    | 1     | SPEED CONTROLLER            |       |
| BT1  |             |       | Battery                     |       |
| F1   | 56114294    | 1     | STANDOFF AND BREAKER KIT    |       |
| CB1  | 56454429    | 1     | CIRCUIT BREAKER 70A         |       |
| CB2  | 56507644    | 1     | CIRCUIT BREAKER 10 AMP      |       |
| K1   | 56601183    | 1     | CONTACTOR 24V 100 AMP       |       |
| K2   | 56412179    | 1     | CONTACTOR 24 VDC            |       |
| L1   | 56601064    | 1     | SOLENOID VALVE ASSEMBLY     |       |
| LP1  | 56114262    | 1     | BEACON-WARNING              |       |
| M1   | 56601050    | 1     | MOTOR DRIVE WHEEL           |       |
| R1   |             | 1     | Part of Foot Pedal 56114155 |       |
| S1   | 56303553    | 1     | KEY SWITCH ASSEMBLY         |       |
|      | 56303526    | A/R   | Schlüssel,                  | [1]   |
| S2   | 7-82-00050  | 1     | Sitzschalter BR 1300 S      |       |
| S4   | 56114293    | 1     | ESTOP KIT                   |       |
| Y1   | 56601507    | 1     | PARKING BRAKE               |       |
|      | 56114378    | 1     | BATTERY CHARGER 24V 25A     |       |

Part Notes:

[1] - (for 56111109)

**No  
Diagram  
Available**

**Parts List  
Only**

Resource notes:

NOTE 1: All squeegee blade kits include both front and rear squeegee blades. NOTE 2: All disk deck blade kits include all side skirt blades, does not include the front deck blade. NOTE 3: All cylindrical deck blade kits include both left and right side blades.

NOTE 4: Only for 8-69-00022 (seat with steel seat pan).

NOTE 5: Only for 56383187 (seat with plastic seat pan).

| Pos. | Artikel-Nr. | Menge | Variante                      | Notes |
|------|-------------|-------|-------------------------------|-------|
| 1    | 7-03-04249  | 1     | Armlehne zu BR 755 C          |       |
| 2    | 56383188    | 1     | ARM REST KIT R/H + L/H        | [1]   |
| 3    | 56114253    | 1     | Rundumlicht                   |       |
| 4    | 56601087    | 1     | Handsaugkit                   |       |
| 5    | 56422162    | 1     | Sicherheitsgurt               |       |
| 6    | 56114245    | 1     | Dual Saugmotor 24V Set        |       |
| 8    | 56114088    | 1     | Reinigungsmittelsystem        |       |
| 9    | 56114246    | 1     | Geräuschkämpfung              |       |
| 10   | 56114260    | 1     | Einbau LG EU 24V Set          |       |
| 11   | 56382734    | 1     | BLADE KIT-SQUEEGEE-GUM 28     | [2]   |
| 12   | 56382737    | 1     | Saugleistenkit PU 71cm        | [2]   |
| 13   | 56382735    | 1     | Gummileistenkit, rot 28       | [2]   |
| 14   | 56382738    | 1     | Sauglippenkit 34"             | [2]   |
| 15   | 56382740    | 1     | BLADE KIT-SQUEEGEE-PU 34      | [2]   |
| 16   | 56382739    | 1     | Gummilippenkit rot            | [2]   |
| 17   | 56382741    | 1     | Gummilippenkit 38             | [2]   |
| 18   | 56382743    | 1     | Sauglippen PU                 | [2]   |
| 19   | 56382742    | 1     | BLADE KIT-SQUEEGEE-RED GUM 38 | [2]   |
| 20   | 56114364    | 1     | Seitengummisatz, rot          | [3]   |
| 21   | 56114366    | 1     | Seitenschürze                 | [3]   |
| 22   | 56114368    | 1     | Seitengummisatz, rot          | [3]   |
| 23   | 56601248    | 1     | Gummilippe vorn               | [4]   |
| 24   | 56601521    | 1     | Sauglippe vorne               | [5]   |
| 25   | 56114364    | 1     | Seitengummisatz, rot          | [3]   |
| 26   | 56114366    | 1     | Seitenschürze                 | [3]   |
| 27   | 56114368    | 1     | Seitengummisatz, rot          | [3]   |
| 28   | 56601275    | 1     | Gummilippe                    | [4]   |
| 29   | 56601750    | 1     | BLADE KIT-FRONT 34 IN W/FAST  | [6]   |
| 30   | 56601522    | 1     | BLADE FRONT 34                | [5]   |
| 31   | 56114355    | 1     | Seitenschürze                 | [3]   |
| 32   | 56114356    | 1     | Seitenschürze                 | [3]   |
| 33   | 56114358    | 1     | Seitenschürze                 | [3]   |
| 34   | 56390795    | 1     | BLADE FRONT GUM               | [4]   |
| 35   | 56114341    | 1     | BLADE-FRONT-38-PU             | [5]   |
| 36   | 56114287    | 1     | BLADE KIT-FRONT 40            | [7]   |
| 37   | 56114370    | 1     | Seitenschürze                 | [8]   |
| 38   | 56114372    | 1     | Seitenschürze                 | [8]   |
| 39   | 56114374    | 1     | Seitenschürze                 | [8]   |
| 40   | 56383571    | 1     | PROGRAMMER-USER               | [9]   |
| 41   | 56383572    | 1     | PROGRAMMER CABLE-MOLEX        | [9]   |
| 42   | 56044627    | 1     | LITERATURE PACK               | [10]  |
| 43   | 56114242    | 2     | Treibteller 13,75 (350mm)     |       |
| 44   | 56114224    | 2     | Schrubbbürste Nylon           |       |
| 45   | 56114223    | 2     | Schrubbbürste PPL             |       |
| 46   | 56114225    | 2     | Schleifkornbürste LightG      |       |
| 47   | 56114226    | 2     | Schleifkornbürste Clean G     |       |
| 48   | 56114227    | 2     | Schleifkornbürste Super G     |       |
| 49   | 56114243    | 2     | Treibteller 16.75 (425mm)     |       |
| 50   | 56114229    | 2     | Schrubbbürste Nylon 16.5      |       |
| 51   | 56114228    | 2     | Schrubbbürste                 |       |
| 52   | 56114230    | 2     | Schleifkornbürste             |       |
| 53   | 56114231    | 2     | Schleifkornbürste             |       |
| 54   | 56114232    | 2     | Schleifkornbürste             |       |
| 56   | 56412192    | 2     | Walze Nylon weiss BR700 C     |       |
| 57   | 56412046    | 2     | Walze PPN rot BR 700 C        |       |
| 58   | 56412193    | 2     | Walze Sica grau BR 700 C      |       |
| 60   | 56412195    | 2     | Walze Sica braun BR 700 C     | [11]  |

## Part Notes:

- [1] - NOTE 5
- [2] - NOTE 1
- [3] - NOTE 2
- [4] - (Gum)
- [5] - (PU)
- [6] - (includes mounting rivets)
- [7] - (Gum) (includes mounting rivets)
- [8] - NOTE 3
- [9] - Accessories
- [10] - Accessories  
PRINT FROM HOMEPAGE
- [11] - COMPLEXITY REDUCTION

---

**Comments:**

We provide brushes and pad holders that will give you the best possible performance between machine and floor. Following are descriptions of the materials and their applications.

- Soft Nylon:** Bristles are made from light-duty polypropylene for general scrubbing when you do not want to scratch or remove finish from the floor. Recommended for use in place of red pads.
- Poly:** Polypropylene material for medium-duty scrubbing on concrete, terrazzo and vinyl floor tile. Recommended for use in place of green or blue pads.
- Lite Grit:** For light scrubbing when used wet; buffing or polishing when used dry on urethane coated, sealed concrete or other resilient hard surface floors. Recommended for use in place of red or white pads.
- Medium Grit:** For general purpose scrubbing of sealed or unsealed concrete, stone, terrazzo, quarry tile and other resilient hard floor surfaces. Recommended for use in place of green or blue pads.
- Heavy Grit:** For aggressive, heavy-duty scrubbing or stripping of floors. Recommended for use in place of brown pads.

#### R 6 71 DECK BRUSHES (QTY 2 EACH)

56114242 - Pad Driver  
56114224 - Soft Nylon  
56114223 - Poly  
56114225 - Lite Grit  
56114226 - Medium Grit  
56114227 - Heavy Grit

#### R 6 86 DECK BRUSHES (QTY 2 EACH)

56114243 - Pad Driver  
56114229 - Soft Nylon  
56114228 - Poly  
56114230 - Lite Grit  
56114231 - Medium Grit  
56114232 - Heavy Grit

#### R 6 100 DECK BRUSHES (QTY 3 EACH)

56114241 - Pad Driver  
56114219 - Soft Nylon  
56114218 - Poly  
56114220 - Lite Grit  
56114221 - Medium Grit  
56114222 - Heavy Grit

### DISC BRUSH APPLICATION GUIDE (SUGGESTION ONLY)

| Application               | Heavy Grit | Medium Grit | Lite Grit | Poly | Soft Nylon |
|---------------------------|------------|-------------|-----------|------|------------|
| <b>Stripping:</b>         |            |             |           |      |            |
| Concrete                  | X          |             |           |      |            |
| Terrazzo                  | X          |             |           |      |            |
| Ceramic/Quarry tile       | X          |             |           |      |            |
| Vinyl tile                | X          |             |           |      |            |
| <b>General Scrubbing:</b> |            |             |           |      |            |
| Concrete                  | X          | X           | X         | X    |            |
| Terrazzo                  |            | X           | X         | X    |            |
| Ceramic/Quarry tile       |            | X           | X         | X    |            |
| Marble                    |            |             | X         | X    | X          |
| Vinyl tile                |            | X           | X         | X    |            |
| Raised-rubber tile        |            |             | X         | X    | X          |

| Pos. | Artikel-Nr. | Menge | Variante                  | Notes |
|------|-------------|-------|---------------------------|-------|
| 1    | 56114242    | 1     | Treibteller 13,75 (350mm) | [1]   |
| 2    | 56114224    | 1     | Schrubbbürste Nylon       | [1]   |
| 3    | 56114223    | 1     | Schrubbbürste PPL         | [1]   |
| 4    | 56114225    | 1     | Schleifkornbürste LightG  | [1]   |
| 5    | 56114226    | 1     | Schleifkornbürste Clean G | [1]   |
| 6    | 56114227    | 1     | Schleifkornbürste Super G | [1]   |
| 7    | 56114243    | 1     | Treibteller 16.75 (425mm) | [2]   |
| 8    | 56114229    | 1     | Schrubbbürste Nylon 16.5  | [2]   |
| 9    | 56114228    | 1     | Schrubbbürste             | [2]   |
| 10   | 56114230    | 1     | Schleifkornbürste         | [2]   |
| 11   | 56114231    | 1     | Schleifkornbürste         | [2]   |
| 12   | 56114232    | 1     | Schleifkornbürste         | [2]   |
| 13   | 56114241    | 1     | Treibteller 12,75 (324mm) | [3]   |
| 14   | 56114219    | 1     | Schrubbbürste Nylon       | [3]   |
| 15   | 56114218    | 1     | Schrubbbürste PPL         | [3]   |
| 16   | 56114220    | 1     | Schleifkornbürste Light G | [3]   |
| 17   | 56114221    | 1     | Schleifkornbürste CleanG  | [3]   |
| 18   | 56114222    | 1     | Schleifkornbürste         | [3]   |

## Part Notes:

- [1] - R 6 71 DECK BRUSHES (QTY 2 EACH)
- [2] - R 6 86 DECK BRUSHES (QTY 2 EACH)
- [3] - R 6 100 DECK BRUSHES (QTY 3 EACH)

## BRUSH SELECTOR GUIDE-CYLINDRICAL

We provide brushes and pad holders that will give you the best possible performance between machine and floor. Following are descriptions of the materials and their applications.

|                   |                                                                                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Soft Nylon:       | Least aggressive brush available. Used on soft-finish floors where a more aggressive brush would leave scratch marks, or in applications requiring very light cleaning. |
| Stiff Nylon:      | Cleaning action similar to polypropylene. More durable and wear-resistant than polypropylene.                                                                           |
| Prolene:          | Low cost, yet effective in cleaning many common floor surfaces.                                                                                                         |
| MidLite Grit 180: | Least aggressive grit brush. Used for daily cleaning of hard-finished floors.                                                                                           |
| Dyna Grit 80:     | Medium aggressive grit brush. Good all-around brush for medium to heavy buildup removal. Can also be used for general stripping operations.                             |
| Magna Grit 46:    | Most aggressive grit brush. Used primarily to clean heavy buildup on concrete floors in factories, or for heavy stripping of finish.                                    |

### CYLINDRICAL BRUSHES

56412191 - Soft Nylon  
56412192 - Hard Nylon  
56412046 - Prolene  
56412193 - MidLite Grit 180  
56412194 - Dyna Grit 80  
56412195 - Magna Grit 46

### CYLINDRICAL BRUSH APPLICATION GUIDE (SUGGESTION ONLY)

| Application               | 46<br>Grit | 80<br>Grit | 180<br>Grit | Polypro-<br>pylene | Stiff<br>Nylon | Soft<br>Nylon |
|---------------------------|------------|------------|-------------|--------------------|----------------|---------------|
| <b>Stripping:</b>         |            |            |             |                    |                |               |
| Concrete                  | X          | X          |             |                    |                |               |
| Terrazzo                  | X          | X          |             |                    |                |               |
| Ceramic/Quarry tile       |            | X          |             |                    |                |               |
| Vinyl tile                |            | X          |             |                    |                |               |
| <b>General Scrubbing:</b> |            |            |             |                    |                |               |
| Concrete                  | X          | X          | X           | X                  | X              |               |
| Terrazzo                  |            |            | X           | X                  | X              | X             |
| Ceramic/Quarry tile       |            |            | X           | X                  | X              | X             |
| Marble                    |            |            | X           |                    | X              | X             |
| Vinyl tile                |            |            | X           | X                  | X              | X             |
| Raised-rubber tile        |            |            | X           |                    |                | X             |

| Pos. | Artikel-Nr. | Menge | Variante                  | Notes |
|------|-------------|-------|---------------------------|-------|
| 1    | 56412191    | 1     | Walze Nylon gelb BR 700 C | [1]   |
| 2    | 56412192    | 1     | Walze Nylon weiss BR700 C |       |
| 3    | 56412046    | 1     | Walze PPN rot BR 700 C    |       |
| 4    | 56412193    | 1     | Walze Sica grau BR 700 C  |       |
| 5    | 56412194    | 1     | Walze Sica schwarz BR700C | [1]   |
| 6    | 56412195    | 1     | Walze Sica braun BR 700 C | [1]   |

## Part Notes:

[1] - COMPLEXITY REDUCTION

## SQUEEGEE BLADE SELECTOR GUIDE

Gum Rubber: Provides superior wiping action on tile, terrazzo, and polished floors.


Red Gum Rubber: Provides longest life on burnished or unburnished concrete floors.

Polyurethane: Oil resistance provides superior life in applications with oily floors.

| SQUEEGEE BLADE APPLICATION GUIDE(SUGGESTION ONLY) |                                |                                    |                             |
|---------------------------------------------------|--------------------------------|------------------------------------|-----------------------------|
| Performance Traits                                | Gum Rubber<br>(Natural Rubber) | Red Gum Rubber<br>(Natural Rubber) | Polyurethane/<br>Pentathane |
| Tear Strength                                     |                                | X                                  | X                           |
| Abrasion Resistance                               |                                | X                                  | X                           |
| <b>Applications</b>                               |                                |                                    |                             |
| Oil Resistant Applications                        |                                |                                    | X                           |
| <b>Appearance</b>                                 | Tan                            | Red                                | Translucent                 |

---


| Pos. | Artikel-Nr. | Menge | Variante | Notes |
|------|-------------|-------|----------|-------|
|------|-------------|-------|----------|-------|



| Pos. | Artikel-Nr. | Menge | Variante                 | Notes |
|------|-------------|-------|--------------------------|-------|
| 00   | 56114260    | 1     | Einbau LG EU 24V Set     |       |
| 1    | 56001836    | 3     | Schraube 1/4-20x0.62     |       |
| 2    | 56001906    | 4     | WSH FLT CUT 1/4          |       |
| 4    | 56002093    | 4     | SCR HEX HD 1/4-20 X 1.00 |       |
| 5    | 56002708    | 6     | Stopmutter 1/4-20        |       |
| 6    | 56114378    | 1     | BATTERY CHARGER 24V 25A  | [1]   |
| 6    | 56112544    | 1     | BATTERY CHARGER 24V 25A  | [2]   |
| 7    | 56383896    | 1     | BRACKET-OBC MOUNT        |       |
| 8    | 56114183    | 1     | HEAT SINK                | [3]   |
| 9    | 61598A      | 1     | BRACKET CORD WRAP        |       |
| 10   | 56114244    | 1     | HARNESS-CHARGER          | [3]   |
| 11   | 56383388    | 1     | CORD-CHARGER EUROPE      | [1]   |
| 12   | 56383389    | 1     | CORD-CHARGER UK          | [1]   |
| 13   | 56315270    | 1     | CHARGER CORD             | [4]   |
| 14   | 56486112    | 3     | Kabelklammer             |       |
| NS   | 2-00-04345  | 2     | Kabelbinder,             |       |

## Part Notes:


- [1] - (Kit 56114260)
- [2] - USE 56114378
- (Kit 56114182)
- [3] - ONLY USED FOR PRODUCTION
- [4] - EXPIRED USE 56383385
- (Kit 56114182)




| Pos. | Artikel-Nr. | Menge | Variante                       | Notes |
|------|-------------|-------|--------------------------------|-------|
| 00   | 56114088    | 1     | Reinigungsmittelsystem         |       |
| 1    | 56002003    | 8     | SCR PAN PHIL 8 32 X .50        |       |
| 2    | 56002124    | 3     | Schraube10-24 X .62 PNH PH.    |       |
| 3    | 56002539    | 2     | SCR PAN PHIL TD FORM 6-32 X.31 |       |
| 4    | 56002768    | 3     | 1/4-20 NYLOC NUT               |       |
| 5    | 56002865    | 8     | NUT HEX NYL LOC-THIN 8-32      |       |
| 6    | 54778A      | 1     | Abdeckkappe f. Adapter,        |       |
| 7    | 56114166    | 1     | COVER-ELECTRICAL               |       |
| 8    | 56114179    | 1     | PLATE-BOTTLE MOUNT             |       |
| 9    | 56114187    | 1     | CHEMICAL BOTTLE COVER          |       |
| 10   | 56114190    | 2     | FRICTION HINGE                 |       |
| 11   | 56114247    | 1     | GASKET                         |       |
| 12   | 56114252    | 1     | GASKET-.25 X .50 X 11          |       |
| 13   | 56306169    | 1     | HOSE CHEM RESISTANT 17.00      |       |
| 14   | 56314863    | 1     | HOSE CHEM RESISTANT            |       |
| 15   | 56314976    | 1     | HOSE CHEM RESISTANT            |       |
| 16   | 56314982    | 1     | REDUCER BARB                   |       |
| 17   | 56315241    | 1     | EDS Pumpe                      |       |
| 18   | 56481890    | 3     | CLAMP CABLE .250 E00129        |       |
| 19   | 56601514    | 1     | FERRITE BEAD                   |       |
| 20   | 9097023000  | 1     | Adapter f. Chemie Tank         |       |
| 21   | 56001993    | 2     | SCR PAN HD PHIL 10-24X.50      |       |
| 22   | 56003870    | 1     | SCR FLT PHIL SS 6 32 X .38     | [1]   |
| 23   | 56344099    | 1     | MAGNET SCREW MOUNT             | [2]   |
| 24   | 56002832    | 2     | 6-Kt Mutter Nylon              |       |
| 25   | 56002830    | 1     | NUT HEX NYL LOC 6-32           |       |
| 26   | 56114325    | 1     | BRACKET-MAGNET                 |       |
| 27   | 56412122    | 1     | Kantenschutz                   |       |

Part Notes:


- [1] - NOT FOR SALE VIA EDC
- [2] - ONLY USED FOR PRODUCTION




| Pos. | Artikel-Nr. | Menge | Variante           | Notes |
|------|-------------|-------|--------------------|-------|
| 00   | 56114246    | 1     | Geräuschkämmung    |       |
| 1    | 56001906    | 2     | WSH FLT CUT 1/4    |       |
| 2    | 56002066    | 2     | Schraube           |       |
| 3    | 56003263    | 5     | "Nylonstift 0.25"" |       |
| 4    | 56114257    | 1     | STRAP              |       |
| 5    | 56114258    | 1     | CURTAIN            |       |
| 6    | 56315840    | 2     | Ansaugkanal        |       |



| Pos. | Artikel-Nr. | Menge | Variante             | Notes |
|------|-------------|-------|----------------------|-------|
| 00   | 56114253    | 1     | Rundumlicht          |       |
| 1    | 56009030    | 2     | Schraube 10-2        |       |
| 2    | 56002145    | 1     | Schraube 1/4 20x .50 |       |
| 3    | 56114270    | 1     | CONDUIT-26 IN        |       |
| 4    | 56002896    | 3     | Schraube SS10-24X0   |       |
| 5    | 56486112    | 1     | Kabelklammer         |       |
| 6    | 56114254    | 1     | BRACKET-BEACON       |       |
| 7    | 56114262    | 1     | BEACON-WARNING       |       |
| 8    | 56249946    | 3     | INSERT BRASS FL150S  |       |




| Pos. | Artikel-Nr. | Menge | Variante                      | Notes |
|------|-------------|-------|-------------------------------|-------|
| 1    | 56114327    | 1     | GASKET-AIR DUCT               |       |
| 2    | 56412154    | 1     | dichtung                      |       |
| 3    | 56001993    | 4     | SCR PAN HD PHIL 10-24X.50     |       |
| 4    | 56002053    | 4     | WSH FLT CUT 10                |       |
| 5    | 56003894    | 2     | INSERT-JACK NUT 1/4-20 ALUM   |       |
| 6    | 56003733    | 2     | SCR PAN PHIL SS 1/4-20 X 1.75 |       |
| 7    | 56114233    | 1     | SEAL ASSY-VAC FAN             |       |
| 8    | 56302142    | 1     | Schwimmerdeckel BA 430        |       |
| 9    | 56315102    | 1     | Abdeckung f. Saugmotor        |       |
| 10   | 56315141    | 3     | Halter                        |       |
| 11   | 56315847    | 1     | Schaumstoffröhre              |       |
| 12   | 56324497    | 2     | Schwimmergitter zu BA 700     |       |
| 13   | 56391690    | 1     | Schwimmerball                 |       |
| 14   | 56412218    | 1     | Saugmotor 24v                 |       |
| 15   | 56477613    | 1     | Kabelbändli 7x380mm           |       |
| 16   | 56508740    | 1     | INSERT TOOL                   |       |



| Pos. | Artikel-Nr.  | Menge | Variante                 | Notes |
|------|--------------|-------|--------------------------|-------|
| 00   | 56112245     | 1     | Einbauladegerät 24V/20Ah | [1]   |
| 1    | 56009096     | 2     | Scheibe zu BR 1000       |       |
| 3    | 56114378     | 1     | BATTERY CHARGER 24V 25A  | [1]   |
| 4    | 56315271     | 1     | Anschlußkabel Ladegerät  | [2]   |
| 5    | 56315664     | 1     | CHARGER CORD - UK        | [3]   |
| 6    | 56478523     | 8     | Kabelbinder              |       |
| 7    | 909 5149 000 | 1     | Halter                   |       |
| 8    | 964004       | 2     | SCREW M5X16 PN ST PH     |       |
| 9    | 980657       | 4     | Scheibe 1/4 STD          |       |
| 10   | 57994A       | 4     | SCREW M6 X 20 HEX HD     |       |
| 11   | 87026A       | 4     | Scheibe .250             |       |

## Part Notes:

- [1] - TSB US 2011-0002 Charger Interlock Wiring Update SC80
- [2] - EXPIRED USE 56383388
- [3] - EXPIRED USE 56383389



| Pos. | Artikel-Nr. | Menge | Variante                                                          | Notes |
|------|-------------|-------|-------------------------------------------------------------------|-------|
| 00   | 56114299    | 1     | USER INTERFACE PANEL KIT                                          |       |
| 1    |             | 1     | User Interface Panel Assembly (not available for sale separately) | [1]   |
| 2    | 56009206    | 5     | Schraube TRUSS PHIL BLK                                           |       |

Part Notes:

[1] - User Interface Panel Assembly (not available for sale separately)

**No  
Diagram  
Available**

**Parts List  
Only**

Resource notes:

CLASS W = Normal Wear O = Ordinary Maintenance E = Extra-Ordinary Maintenance CLASS PART NO.  
DESCRIPTION

# RECOMMENDED SPARE PARTS

SCRUBTEC R 671 C

2013.12.13

2014.01.13

| Pos. | Artikel-Nr. | Menge | Variante                                 | Notes |
|------|-------------|-------|------------------------------------------|-------|
| 01   | 56106070    | 1     | BEARING BALL Z22                         | [1]   |
| 02   | 56383240    | 1     | SEAT KIT                                 | [1]   |
| 03   | 56109527    | 1     | Bürstenklaue BR 950                      | [1]   |
| 04   | 56112303    | 1     | Schwimmerventilkit                       | [1]   |
| 05   | 56112544    | 1     | BATTERY CHARGER 24V 25A                  | [2]   |
| 06   | 56114050    | 1     | TANK-SOLUTION                            | [1]   |
| 07   | 56114055    | 1     | TANK-RECOVERY                            | [1]   |
| 08   | 56114057    | 1     | COVER-RECOVERY TANK                      | [1]   |
| 09   | 56114076    | 1     | DECK WELDT                               | [1]   |
| 10   | 56114104    | 1     | LEFT SKIRT ASSY-40D                      | [1]   |
| 100  | 56261265    | 1     | Plastikrohr                              | [1]   |
| 101  | 56302142    | 1     | Schwimmerdeckel BA 430                   | [1]   |
| 102  | 56303553    | 1     | KEY SWITCH ASSEMBLY                      | [1]   |
| 103  | 56314261    | 1     | Haltewinkel                              | [3]   |
| 104  | 56314580    | 1     | Kugellager                               | [1]   |
| 105  | 56314902    | 1     | Schutz für Motor                         | [4]   |
| 106  | 56315061    | 1     | Motor 24V 5HP                            | [1]   |
| 107  | 56315102    | 1     | Abdeckung f. Saugmotor                   | [1]   |
| 108  | 56315296    | 1     | Frischwasserfilter                       | [5]   |
| 109  | 56315321    | 1     | Riemen Poly-V Walzenbürst                | [1]   |
| 11   | 56114105    | 1     | RIGHT SKIRT ASSY-40D                     | [1]   |
| 110  | 56315447    | 1     | Spannradträger                           | [1]   |
| 111  | 56315625    | 1     | Verbindungsstück                         | [1]   |
| 112  | 56344180    | 1     | HARDWARE KIT-DECK LINKAGE                | [1]   |
| 113  | 56344181    | 1     | BEARING KIT-SPINDLE                      | [1]   |
| 114  | 56344183    | 1     | BUMPER WHEEL KIT                         | [1]   |
| 115  | 56344188    | 1     | BEARING BLOCK ASSEMBLY                   | [1]   |
| 116  | 56380149    | 1     | Rändelschraube                           | [1]   |
| 117  | 56380529    | 1     | CARBON-BRUSH/SET OF 2                    | [5]   |
| 118  | 56382693    | 1     | Rad                                      | [5]   |
| 119  | 56390784    | 1     | SQUEEGEE ASSY 38 GUM                     | [1]   |
| 12   | 56114106    | 1     | STRAP-SKIRT                              | [6]   |
| 120  | 56114369    | 1     | LIFT ACTUATOR ASSEMBLY                   | [1]   |
| 121  | 56396268    | 1     | Führung f. Feder                         | [1]   |
| 122  | 56407303    | 1     | Rändelmutter                             | [1]   |
| 123  | 56407391    | 1     | Spritzschutz vorne/hinten                | [5]   |
| 124  | 56407551    | 1     | Bürstenklaue zu BR 850/C                 | [1]   |
| 125  | 56407558    | 1     | Scheibe zu BR 850                        | [1]   |
| 126  | 56412071    | 1     | Druckfeder                               | [1]   |
| 127  | 56412154    | 1     | dichtung                                 | [5]   |
| 128  | 56412177    | 1     | Horn Rückfahralarm BR 1100S              | [1]   |
| 129  | 56412179    | 1     | CONTACTOR 24 VDC                         | [1]   |
| 13   | 56114107    | 1     | SKIRT BKT-LT-40D WELDT                   | [1]   |
| 130  | 56412198    | 1     | Lenkkette                                | [1]   |
| 131  | 56412216    | 1     | Zugfeder                                 | [1]   |
| 132  | 56412262    | 1     | Federgehäuse BA750/850                   | [1]   |
| 133  | 56412263    | 1     | Abdeckung f. Welle                       | [1]   |
| 134  | 56412287    | 1     | Kohlenbürstenset m. Federkompl. BA 755/8 | [5]   |
| 135  | 56420019    | 1     | Mutter arretierung                       | [1]   |
| 136  | 56420020    | 1     | Mutter arretierung                       | [1]   |
| 137  | 56477613    | 1     | Kabelbändli 7x380mm                      | [1]   |
| 138  | 56478246    | 1     | CABLE TIE E00549 RE438BA                 | [1]   |
| 139  | 56601050    | 1     | MOTOR DRIVE WHEEL                        | [1]   |
| 14   | 56114108    | 1     | SKIRT BKT-RT-40D WELDT                   | [1]   |
| 140  | 56601064    | 1     | SOLENOID VALVE ASSEMBLY                  | [1]   |
| 141  | 56601086    | 1     | Grobschmutzbehälter                      | [7]   |
| 142  | 56601113    | 1     | Grundplatte                              | [1]   |
| 143  | 56601147    | 1     | ACTUATOR MOTOR 24V                       | [1]   |
| 144  | 56601172    | 1     | Stecker ASM                              | [8]   |

# RECOMMENDED SPARE PARTS

SCRUBTEC R 671 C

2013.12.13

2014.01.13

| Pos. | Artikel-Nr. | Menge | Variante                     | Notes |
|------|-------------|-------|------------------------------|-------|
| 145  | 56601183    | 1     | CONTACTOR 24V 100 AMP        | [1]   |
| 146  | 56601248    | 1     | Gummilippe vorn              | [9]   |
| 147  | 56601278    | 1     | SKIRT BRACKET FRONT 34       | [1]   |
| 148  | 56601449    | 1     | Absaugleiste Kompl.          | [1]   |
| 149  | 56601450    | 1     | Rad 4,00 Od                  | [5]   |
| 15   | 56114110    | 1     | LEFT SKIRT ASSY-28D          | [1]   |
| 150  | 56601452    | 1     | BRUSH COVER                  | [1]   |
| 151  | 56601454    | 1     | Absaugleiste                 | [1]   |
| 152  | 56601470    | 1     | COMPRESSION SPRING           | [1]   |
| 153  | 56601471    | 1     | Rad                          | [5]   |
| 154  | 56601472    | 1     | Rad m. Nabe                  | [5]   |
| 155  | 56601473    | 1     | Motor                        | [1]   |
| 156  | 56601507    | 1     | PARKING BRAKE                | [1]   |
| 157  | 56601508    | 1     | PLASTIC COVER                | [1]   |
| 158  | 56601509    | 1     | Kohlebürstenkit              | [5]   |
| 159  | 56601512    | 1     | Schlauch                     | [1]   |
| 16   | 56114111    | 1     | RIGHT SKIRT ASSY-28-34D      | [1]   |
| 160  | 56601533    | 1     | MOTOVARIO GEARBOX            | [1]   |
| 161  | 56601534    | 1     | CARBON BRUSH                 | [5]   |
| 162  | 56601535    | 1     | Keil                         | [1]   |
| 163  | 56601536    | 1     | MOTOR FAN                    | [1]   |
| 164  | 56601537    | 1     | BALL BEARING OUTPUT SIDE     | [1]   |
| 165  | 56601578    | 1     | Drehknopf                    | [1]   |
| 166  | 56601599    | 1     | Schraubverschluß             | [1]   |
| 167  | 56601750    | 1     | BLADE KIT-FRONT 34 IN W/FAST | [9]   |
| 168  | 7-82-00050  | 1     | Sitzschalter BR 1300 S       | [1]   |
| 17   | 56114112    | 1     | STRAP                        | [10]  |
| 18   | 56114116    | 1     | LEFT SKIRT ASSY-34D          | [1]   |
| 19   | 56114117    | 1     | SKIRT BKT-LT-34D WELDT       | [1]   |
| 20   | 56114118    | 1     | STRAP                        | [11]  |
| 21   | 56114120    | 1     | LT SKIRT ASSY-28C            | [1]   |
| 22   | 56114121    | 1     | RT SKIRT ASSY-28C            | [1]   |
| 23   | 56114123    | 1     | RT SKIRT BKT WELDT-28C       | [1]   |
| 24   | 56114134    | 1     | STRAP                        | [6]   |
| 25   | 56114163    | 1     | PANEL-ELECTRICAL             | [1]   |
| 26   | 56114164    | 1     | PANEL-SWITCH                 | [1]   |
| 27   | 56114168    | 1     | DRAIN HOSE ASSY              | [5]   |
| 28   | 56114171    | 1     | Saugschlauch                 | [5]   |
| 29   | 56114185    | 1     | GASKET-RECOVERY TANK         | [5]   |
| 30   | 56114188    | 1     | STRAP-SKIRT                  | [1]   |
| 31   | 56114191    | 1     | STRAP-SKIRT                  | [1]   |
| 32   | 56114201    | 1     | HARNESS-POWER                | [1]   |
| 33   | 56114233    | 1     | SEAL ASSY-VAC FAN            | [5]   |
| 34   | 56114234    | 1     | SPEED CONTROLLER             | [1]   |
| 35   | 56114252    | 1     | GASKET- .25 X .50 X 11       | [5]   |
| 36   | 56114255    | 1     | GASKET- .25 X .50 X 37.38    | [5]   |
| 37   | 56114256    | 1     | GASKET- .25 X .50 X 31.50    | [5]   |
| 38   | 56114271    | 1     | PLATE KIT-STEERING           | [1]   |
| 39   | 56114272    | 1     | SPINDLE KIT-MOTOR            | [1]   |
| 40   | 56114274    | 1     | CHAIN KIT-GROUND             | [1]   |
| 41   | 56114275    | 1     | HOSE KIT-DRAIN               | [1]   |
| 42   | 56114276    | 1     | VALVE AND FILTER KIT         | [5]   |
| 43   | 56114277    | 1     | SIGHT GAUGE KIT              | [1]   |
| 44   | 56114278    | 1     | VAC MOTOR KIT                | [1]   |
| 45   | 56114279    | 1     | HOSE CLAMP KIT-DRAIN         | [1]   |
| 46   | 56114281    | 1     | GIMBLE KIT                   | [1]   |
| 47   | 56114282    | 1     | SHAFT KIT-HUB MOUNT          | [1]   |
| 48   | 56114283    | 1     | MANIFOLD KIT-SOLUTION 40     | [1]   |
| 49   | 56114284    | 1     | ROLLER KIT-L/R               | [1]   |

# RECOMMENDED SPARE PARTS

SCRUBTEC R 671 C

2013.12.13

2014.01.13

| Pos. | Artikel-Nr. | Menge | Variante                      | Notes |
|------|-------------|-------|-------------------------------|-------|
| 50   | 56114285    | 1     | ROLLER MOUNT KIT-RT 40        | [1]   |
| 51   | 56114286    | 1     | ROLLER MOUNT KIT-LT 40        | [1]   |
| 52   | 56114287    | 1     | BLADE KIT-FRONT 40            | [9]   |
| 53   | 56114288    | 1     | LIFT KIT-DECK 40              | [1]   |
| 54   | 56114289    | 1     | MOTOR KIT-BRUSH               | [5]   |
| 55   | 56114290    | 1     | HARDWARE KIT-ACTUATOR         | [1]   |
| 56   | 56114291    | 1     | HARDWARE KIT-MOTOR BRKT       | [1]   |
| 57   | 56114292    | 1     | HARDWARE KIT-SKIRT            | [1]   |
| 58   | 56114293    | 1     | ESTOP KIT                     | [1]   |
| 59   | 56114294    | 1     | STANDOFF AND BREAKER KIT      | [1]   |
| 60   | 56114295    | 1     | PROP ROD KIT                  | [1]   |
| 61   | 56114296    | 1     | CIRCUIT BREAKER KIT           | [1]   |
| 62   | 56114297    | 1     | BATTERY CABLE KIT             | [1]   |
| 63   | 56114298    | 1     | SHAFT KIT-UPPER STEERING      | [1]   |
| 64   | 56114299    | 1     | USER INTERFACE PANEL KIT      | [1]   |
| 65   | 56114300    | 1     | FOOT PEDAL KIT                | [1]   |
| 66   | 56114302    | 1     | HARDWARE KIT-STEERING COLUMN  | [1]   |
| 67   | 56114303    | 1     | HARWARE KIT-STEERING MOUNT    | [1]   |
| 68   | 56114304    | 1     | HARDWARE KIT-SEAT             | [1]   |
| 69   | 56114306    | 1     | MANIFOLD KIT-SOLUTION 28D     | [1]   |
| 70   | 56114307    | 1     | LIFT KIT-DECK                 | [1]   |
| 71   | 56114309    | 1     | ROLLER MOUNT KIT-RT 28D       | [1]   |
| 72   | 56114311    | 1     | MANIFOLD KIT-SOLUTION 34      | [1]   |
| 73   | 56114313    | 1     | DRIVE END ASSEMBLY KIT        | [1]   |
| 74   | 56114314    | 1     | MOUNTING POST KIT-SIDE SKIRT  | [1]   |
| 75   | 56114315    | 1     | HARDWARE KIT-CYL SIDE SKIRT   | [5]   |
| 76   | 56114317    | 1     | HOSE KIT-SOLUTION CYL         | [1]   |
| 77   | 56114319    | 1     | CABLE KIT-SQUEEGEE            | [1]   |
| 78   | 56114321    | 1     | ROLLER KIT-SQUEEGEE           | [1]   |
| 79   | 56114324    | 1     | MOTOR KIT-BRUSH EU            | [5]   |
| 80   | 56114327    | 1     | GASKET-AIR DUCT               | [5]   |
| 81   | 56114337    | 1     | SUPPORT WELDMENT              | [1]   |
| 82   | 56114338    | 1     | ROLLER MOUNT KIT-RT 34D       | [1]   |
| 83   | 56114348    | 1     | HARDWARE KIT-CHASSIS SYSTEM   | [1]   |
| 84   | 56114349    | 1     | HARDWARE KIT-ELEC COVER       | [1]   |
| 85   | 56114350    | 1     | HARDWARE KIT-RECOVERY SYSTEM  | [1]   |
| 86   | 56114351    | 1     | HARDWARE KIT-ELEC SYSTEM      | [1]   |
| 87   | 56114352    | 1     | HARDWARE KIT-28D SCRUB SYSTEM | [1]   |
| 88   | 56114353    | 1     | HARDWARE KIT-34D SCRUB SYSTEM | [1]   |
| 89   | 56114354    | 1     | HARDWARE KIT-SQUEEGEE BRACKET | [1]   |
| 90   | 56114355    | 1     | Seitenschürze                 | [9]   |
| 91   | 56114356    | 1     | Seitenschürze                 | [9]   |
| 92   | 56114358    | 1     | Seitenschürze                 | [9]   |
| 93   | 56114364    | 1     | Seitengummisatz, rot          | [9]   |
| 94   | 56114366    | 1     | Seitenschürze                 | [9]   |
| 95   | 56114368    | 1     | Seitengummisatz, rot          | [9]   |
| 96   | 56114370    | 1     | Seitenschürze                 | [9]   |
| 97   | 56114372    | 1     | Seitenschürze                 | [9]   |
| 98   | 56114374    | 1     | Seitenschürze                 | [9]   |
| 99   | 56249682    | 1     | SCHLAUCH                      | [1]   |

## Part Notes:

- [1] - EOM
- [2] - EOM  
USE 56114378
- [3] - EOM  
EXPIRED USE 56316679
- [4] - EOM  
EXPIRED USE 56316684
- [5] - OM

# RECOMMENDED SPARE PARTS

SCRUBTEC R 671 C

2013.12.13

2014.01.13

- 
- |      |   |                                  |
|------|---|----------------------------------|
| [6]  | - | EOM<br>USE 56114388 AND 56114389 |
| [7]  | - | EOM<br>COMPLEXITY REDUCTION      |
| [8]  | - | EOM<br>ONLY USED IN US           |
| [9]  | - | WEAR                             |
| [10] | - | EOM<br>USE 56114384 AND 56114386 |
| [11] | - | EOM<br>USE 56114385 AND 56114387 |

